INDEX TO VOLUME 52

The asterisk (*) preceding the page number indicates an original article in the Archives. Subject entries are made for all articles. Author entries are made for original articles and society transactions. Book Reviews, Obituaries and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abdomen, Aneurysm: See Aneurysm
hyperpigmentation of abdomen (von Gierke's disease; hyperinsulinism?), 61

Abnormalities and Deformities: See also under names of diseases, organs and regions, as Atrophy; Ectodermal Defect; Nails, abnormalities; Pigmentation; Skin, abnormalities; Sweat Glands; etc.
rubella and congenital malformations, 407

Abramowitz, E. W.: Chronic lymphangitis or rhinoscleroma, 57
Nevus comedonicus, 215
Scleroderma and acrosclerosis, 56
Vasculitis or periarteritis nodosa, 134

Abscess: See also under names of organs and regions
fever and sterile abscess formation accompanying treatment of syphilis with penicillin, *399

Acanthosis nigricans, juvenile type, 59

Acarus Scabiei: See Scabies

Accommodation: See Eyes, accommodation and refraction

Acetarsone, Therapy: See Dermatitis herpetiformis; Pemphigus

Achromia: See Nevi; Vitiligo

Acid, Ascorbic: See Ascorbic Acid
Cevitamic: See Ascorbic Acid
Nicotinic: See Nicotinic Acid
Undecylenic: See under Ringworm

Acne, cystic, in South Pacific, *75
incidence and localization of, 412
rosacea and rhinophyma (nose and ear lobes), 201
rosacea; case for diagnosis, 144
rosacea-like tuberculid of Lewandowsky or rosacea, 44
oil acne of unusual type, 144
vulgaris occurring in tropics in pigmentary and pilosebaceous nevus, *322

Acridine Dyes, exfoliative dermatitis due to quinacrine hydrochloride, *75
Therapy: See Leishmaniasis

Acrodermatitis; case for diagnosis, 288
chronica atrophicans with fibrous cutaneous nodules, 416
continua or psoriasis, 204
perstans of Hallopeau treated successfully with tyrothricin, 57

Acrosclerosis: See Scleroderma

Actinodermatitis: See under Light

Adams, J. M.: Epidermolysis bullosa; case for diagnosis, 285
Neurotic excoriations or dermatitis factitia, 137

Adenoma of apocrine sweat glands (hidradenoma) of anal canal, 120
sebaceum, 282
sebaceum (Pringle?), 195
sebaceum (Pringle type forme fruste), 422

Adrenal Preparations, cerebrovascular accidents following epinephrine injections, 272

Adrenals in pemphigus vulgaris; report of 6 autopsies and review of literature, *369
hemorrhage; Waterhouse-Friderichsen syndrome; report of case, *391

Aeronautics: See Aviation and Aviators

Aerosol: See Ringworm

Albinism: See Vitiligo

Allergy: See Anaphylaxis and Allergy

Allington, H. V.: Acne vulgaris occurring in tropics in pigmentary and pilosebaceous nevus, *322

Alopecia areata or arsenical dermatitis, 426
areata, psoriasis or pseudopelade (lichen spinulosus), 208
cicatrisata; psoriasis, pseudopelade (lichen spinulosus) and/or alopecia areata, 208
effect of endocrine substances on adult human scalp, *323
of rats fed sulfasuxidine, role of inositol in, 36
peculiar alopecia symptomatica, 41
prematura, 426

Alpins, O.: Clinical investigation of new cutaneous entity, *226

Amebiasis; amebic infection of vulva complicating granuloma pudendi, 273

American Board of Dermatology and Syphilology, 70, 269, 428

American Medical Association, Section on Dermatology and Syphilology, 429

Ammonia and Ammonium Compounds; phemeride; new antiseptic detergent, 37

Amyloidosis cutis, 49

Anaphylaxis and Allergy: See also under names of various diseases, as Eczema; Rhus, poisoning; etc.
allergic eruption; case for diagnosis, 425
allergic reactions during administration of penicillin, *93
colloidoclastic shock following injection of oxophenarsine hydrochloride (mapharsen); report of case, *395
infectivity of Hemophilus ducreyi for rabbit and development of skin hypersensitivity, 405
penicillin ointment; studies on stability relative to potency and on sensitivity of human skin to patch tests with ointment, *246
sulfonamide allergy; persistence of desensitization, 412
use of Benadryl for urticaria and related dermatoses; preliminary report, *243

Anderson, H. F.: Epithelioma, probably arising from sweat glands, 43
Paraffinoma, 42
Superficial benign basal cell epithelioma, 46

Anderson, N. P.: Disseminated granuloma annulare with atrophy, 278
Epidermolysis bullosa hereditaria, 282
Multiple benign superficial epithelioma, 281
Oil acne of unusual type, 144
Tinea amiantacea, 145
Tumor of tongue; case for diagnosis, 282

Andrews, G. C.: Keratosis blennorrhagica; case for diagnosis, 206
Onychomycosis due to Trichophyton purpureum, 124

Androgens, effect of endocrine substances on adult human scalp, *323
mycosis fungoides exhibiting large concentric lesions and treated with testosterone, 298

Anetoderma: See Atrophy

Aneurysm, abdominal, 405

Angina, Vincent's: See Fusospirochetosis

Angioendothelioma of skin, 419

Angiokeratoma, 273
unilateral nevus, 128

Angioma: See also Telangiectasia
case for diagnosis, 209
nevus flammeus associated with conjunctival telangiectasia and possible early choroidal tumor, 35
or angiosarcoma, 127
serpiginosum; case for diagnosis, 206

Angiosarcoma or angioma, 127

Anhidrosis: See Sweat Glands

Anodontia: See Teeth, development
Anthrax, human; treatment with penicillin, 272
Antigens and Antibodies: See also Lipoids; and under specific antigens and reactions
role of lymphocyte in antibody formation, 408
Anus; adenoma of apocrine sweat glands (hidradenoma) of anal canal, 120
Apparatus: See Instruments
Armed Forces Personnel: See also Military Medicine; Naval Medicine; etc.
Army Air Forces dermatology program, *6
Armies: See Aviation and Aviators; Military Medicine
Arms: See also Extremities; etc.
paraffinoma, 42
Arnold, H. L., Jr.: Differentiation of lepromatous from "neural" leprosy; basis, method and report of 5 cases, *354
James Thomas Wayson, 183
Lupus vulgaris, 67
Psoriasis, vesicular lichen planus or herpes, 67
Purpura annularis telangiectodes (Majocchi); case for diagnosis, 66
Syphilitic juxta-articular nodules combined with leukoderma of wrists, palms and feet, 66
Virus papillomas in burn scars; case for diagnosis, 66
Arsenic and Arsenic Compounds: See also Arsphenamines; Tryparsamide
acute yellow atrophy of liver in early syphilis; case report with summary of literature, 120
alopecia areata or arsenical dermatitis, 426
arsenical keratoses of palms and soles or trophic ulcer of foot, 126
colloidoclastic shock following injection of oxophenarsine hydrochloride (mapharsen); report of case, *395
leukomelanoderma following arsenical dermatitis (malignant melanoma), 64
multiple benign superficial epithelioma, 281
prevention of post-arsphenamine jaundice, 412
Therapy: See under Lupus erythematosus; Syphilis
Arsphenamines, dermatitis medicamentosa; case for diagnosis, 139
Therapy: See under Syphilis
Arteries: See Aneurysm; Periarteritis; Vasomotor System; etc.
Arthritis, polyarticular, and osteomyelitis due to granuloma inguinale, 35
Ascorbic Acid; colloid degeneration of skin (colloid milium); report of case, with observations on ascorbic acid therapy, *180
Aspergillus; onychomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
Asthenia, tropical anhidrotic, 37
Astrachan, G. D.: Sarcoid; late secondary syphilis, 216
Athlete's Foot: See Ringworm
Atopy: See Anaphylaxis and Allergy
Atrophoderma: See Atrophy
Atrophy: See also Acrodermatitis chronica atrophicans; and under names of organs and regions, as Liver; etc.
cutaneous; case for diagnosis, 145
macular, of buttocks, 284
recurrent syphilis; macular atrophy secondary to syphilis, 212
with disseminated granuloma annulare, 278
Aviation and Aviators; Army Air Forces dermatology program, *6
Avitaminoses: See under Vitamins
Axilla: See Sweat Glands
Ayres, S., Jr.: Adenoma sebaceum, 282
Cutaneous atrophy; case for diagnosis, 145
Generalized moniliasis and trichophytosis, 277
Mycosis fungoides or leukemia cutis, 54
Pseudoatrophoderma coli et corporis, 280
Rosacea; case for diagnosis, 144
Sarcoid, 142
Ayres, S., III: Congenital ectodermal defect, 418
Periarteritis nodosa; case for diagnosis, 422
BCG: See under Tuberculosis
Bacillus: See Bacteria
Back, papulonecrotic tuberculid including involvement of face, chest and back, 205
Bacteria: See also Meningococci; Staphylococci; Tubercle Bacilli; etc.
Anthrax: See Anthrax
Calmette-Guérin: See Tuberculosis
destruction of nicotinic acid, 409
Diphtheria: See Diphtheria
Ducrey's: See Chancroid
Erysipelothrix: See Erysipeloid
Leprosy: See Leprosy
Tularense: See Tularemia
Bactericides: See Germicides
Bacterid, pustular; case for diagnosis, 296
Bagby, J. W.: Tropical lichen planus-like disease, *1
Baldness: See Alopecia
Barbital and Barbital Derivatives; dermatomyositis; psychoneurosis; dermatitis medicamentosa (pentobarbital sodium); cutis marmorata, 215
Barksdale, E. E.: Erythema perstans, 39
Scleroderma, 44
Baths, steam; treatment of ichthyosis, *178
whirlpool; trench foot, 186
Bazin's Disease: See Erythema induratum
Beard: See Hair
Becker, S. W.: Lichen syphiliticus (extragenital infection) or lichen scrofulosorum, 195
Beidelman, E.: Steatocystoma multiplex, 296
Benadryl: See Urticaria
Benzpyrene; effect of 3,4-benzpyrene on regenerating epidermis of mice, 35
Benzyl Benzoate: See Scabies
Berberian, D. A.: Cutaneous leishmaniasis (oriental sore); treatment with quinacrine hydrochloride, *26
Bereston, E. S.: Onochomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
Berger, J. P.: Effect of feeding lipotropic substance to patients with xanthelasma, *252
Besnier-Boeck's Disease: See Sarcoidosis
Biberstein, H. H.: Immunization therapy of warts, 34
Binkley, G. W.: Postsyphilitic dyschromia; late dyschromic pinta (treated), 415
Birthmark: See Nevi
Bismuth and Bismuth Compounds, fixed bismuth dermatitis; case for diagnosis, 275
systemic manifestations of bismuth toxicity, 405
Therapy: See under names of various diseases, as Lupus erythematosus; Syphilis; etc.
Blaisdell, J. H.: Pityriasis lichenoides et varioliformis acuta, 136
Blanket, Electric: See Thermotherapy
Blastomycosis, 62. See also Coccidioidomycosis; Moniliasis
colloidoclastic shock following injection of oxophenarsine hydrochloride (mapharsen); report of case, *395
or sporotrichosis, 142
systemic, 198
Blennorrhagia: See Keratosis blennorrhagica
Blepharitis: See Eyelids
Blood, Diseases: See Leukemia; etc.
fats and lipoids; effect of feeding lipotropic substance to patients with xanthelasma, *252
proteins; effect of tuberculous and sensitized sera and serum fractions on development of tubercles in chorioallantoic membrane of chick, 408
sugar; carbohydrate metabolism and skin, *301
vessels; periphlebitis, perivasculitis nodularis necrotisans or erythema induratum of unusual type, 133
vessels; vasculitis or periarteritis nodosa, 134
Bluefarb, S. M.: Dermatofibrosarcoma protuberans with dementia paralytica tabetic type, 202
Boardman, W. P.: Parapsoriasis lichenoides (Brocq); case for diagnosis, 140
Boeck Sarcoid: See Sarcoidosis
Boil, Jericho: See Leishmaniasis

Bones: See under names of bones
Diseases: See Osteomyelitis; etc.
Marble: See Osteosclerosis fragilis

Book Reviews:
Approved Laboratory Technique; J. A. Kolmer and F. Boerner, 429
Doctors at War; edited by M. Fishbein, 71
Hair and Scalp: Clinical Study (with Chapter on Hirsuties); A. Savill, 220
Male Hormone; P. de Kruif, 71
Medical Uses of Soap: Symposium; G. T. Halberstadt and others; edited by M. Fishbein, 219
Modern Cosmeticology; R. G. Harry, 219
Modern Syphilotherapy with Particular Reference to Salvarsan; A. Neisser; translated by I. von Sazenhofen Wartenberg, 300
Outline of Amino Acids and Proteins; edited by M. Sahyun, 300
Penicillin Therapy Including Thyrothricin and Other Antibiotic Therapy; J. A. Kolmer, 220

Books: See Literature

Bordet-Wassermann Reaction: See Syphilis

Bowen's Disease: See Cancer, precancer

Brain, cerebrovascular accidents following epinephrine injections, 272
Syphilis: See Neurosyphilis

Bright's Disease: See Nephritis

Bromide and Bromine; bromoderma, 191

Bromoderma: See Bromide and Bromine

Bubo, Chancroid: See Chancroid
Climatic: See Lymphogranuloma Venereum

Bubonulus: See Granuloma inguinale

Bullosis: See Vesication

Burns, value of sulfonated oils in treatment of burns and other denuded surfaces, 411
virus papillomas in burn scars; case for diagnosis, 66

Burpeau, C.: Paraffinoma, 42
Superficial benign basal cell epithelioma, 46

Buschke's Disease: See Scleroderma

Butcher, E. O.: Pigmentation of hair on transplanted skin in hooded rats, *347

Butterworth, T.: Achromic nevus or atypical hydroa puerorum, 297
Fungous infection of back of neck, 293
Necrobiosis lipoidica without diabetes, 295
Pustular bacterid; case for diagnosis, 296
Schamberg's progressive pigmentary dermatosis, 295
Steatocystoma multiplex, 296

Buttocks, herpes simplex of, 54
macular atrophy of, 284

Cadmium Chloride: See Ringworm

Calcification; calcinosis cutis or osteopoikilosis, 128
calcinosis universalis in infant, 122
generalized calcinosis cutis without involvement of muscles or nerves, 189

Calcinosis: See Calcification

Calcium and Calcium Compounds, Penicillin: See Penicillin

Callosities: See Keratosis

Calmette-Guérin Tuberculin: See Tuberculosis

Camphor, Therapy: See Ringworm

Cancer: See also Epithelioma; Sarcoma; and under names of organs and regions, as Esophagus; etc.
irritation and carcinogenesis, 121
precancer; Bowen's disease, 289
precancer; Bowen's disease of penis; late latent syphilis (treated), 413
pseudocarcinomatous hyperplasia in primary, secondary and tertiary cutaneous syphilis, 186

Candida: See Moniliasis

Canizares, O.: Is penicillin a photosensitizing agent? *17

Cannon, A. B.: Arsenical keratoses of palms and soles or trophic ulcer of foot, 126

Carate: See Pinta

Carbarsone: See Pemphigus

Carbohydrate metabolism and skin, *301

Carbuncle, Malignant: See Anthrax

Carcinoma: See Cancer

Cardiovascular System: See Blood vessels; Heart; Vasomotor System; etc.

Caro, M. R.: Cutaneous neuroma, 202
Lichen striatus, 199

Carpenter, C. C.: Treatment of pityriasis rosea with Trichophyton extract, 184

Carrick, L.: Use of Benadryl for urticaria and related dermatoses; preliminary report, *243

Catechol: See Pyrocatechol

Cells: See Tissue

Cerebrospinal Fluid: See Spinal Puncture

Cerebrum: See Brain

Cervix: See under Uterus

Cevitamic Acid: See Ascorbic Acid

Chambers, G.: Clinical investigation of new cutaneous entity, *226

Chancre, Lymphogranulomatous: See Lymphogranuloma Venereum
Soft: See Chancroid

Chancroid, experimental prophylaxis and treatment of chancroidal infection, 121
infectivity of Hemophilus ducreyi for rabbit and development of skin hypersensitivity, 405
of cervix, 410

Cheever, A. W.: Lichen nitidus, 141
Nevus linearis; case for diagnosis, 141

Chemotherapy: See under names of diseases and chemotherapeutic agents, as Coccidioidomycosis; Fusospirochetosis; Impetigo; Neurosyphilis; Penicillin; Skin, diseases; Sulfonamides; Syphilis; etc.

Chest: See Thorax

Chickenpox, herpes zoster and acute anterior poliomyelitis, 410

Children: See also Infants
erythema nodosum in, 186
herpetic stomatitis in infants and children, 37
lichen sclerosus et atrophicus in childhood, *351

Chlorine and Hypochlorite Derivatives, urticaria caused by chlorinated drinking water, 272

Chorioallantoic Membrane: See Tubercle Bacilli

Chromoblastomycosis: See Blastomycosis

Chromomycosis: See Blastomycosis; Mycosis

Cicatrix, virus papillomas in burn scars; case for diagnosis, 66

Cilia: See Eyelashes

Cipollaro, A. C.: Mycosis fungoides, 58
Tinea capitis, 56

Clare, H. C.: Dermatitis from dehydration of potatoes, *9

Climacteric: See Menopause

Clothing, cotton hose, as vehicle for fungicide in treatment of athlete's foot, 36

Coccidioidomycosis, 37

Cohen, D.: Congenital ectodermal defect or moniliasis, 194
Dermatitis herpetiformis treated with acetarsone, 292
Psoriasis simulating stasis dermatitis, 65
Seborrheic dermatitis; case for diagnosis, 64
Tuberculosis miliaris disseminata faciei, 59

Cole, H. N.: Adenoma sebaceum (Pringle type forme fruste), 422
Dystrophia mediana canaliformis, 418
Lupus erythematosus hypertrophicus, 417
Lupus vulgaris erythematosus of Leloir; case for diagnosis, 417
Pyoderma gangrenosum associated with nonspecific ulcerative colitis, 416
Scleroderma en coup de sabre, 420

Colimodio, S.: Bowen's disease of penis; late latent syphilis (treated), 413
Sarcoidosis, 413
Sarcoidosis; tuberculoid leprosy; late latent syphilis (treated), 413

Colitis; pyoderma gangrenosum associated with nonspecific ulcerative colitis, 416

Colloid Milium: See under Skin

Colloidoclastic Shock: See Anaphylaxis and Allergy

Colon, Inflammation: See Colitis
Combes, F. C.: Angioma serpiginosum; case for diagnosis, 206
Communicable Diseases: See Syphilis; etc.
Complement Fixation: See under Lymphogranuloma Venereum; Syphilis
Congress: See Societies
Conjunctiva, nevus flammeus associated with conjunctival telangiectasia and possible early choroidal tumor, 35
Conjunctivitis, dermatitis venenata following use of penicillin ointment, *384
Cooking and Eating Utensils, occupational dermatitis caused by germicidal powder "Microlene" (used in dishwashing), 407
Coomber, R. B.: Penicillin ointment; studies on stability relative to potency and on sensitivity of human skin to patch tests with ointment, *246
Copper, penetration of surface tissues with copper by iontophoresis; penetration with organic and inorganic copper salts and use of detergents in iontophoresis, *96
Cornbleet, T.: Blastomycosis, 62
Congenital ectodermal defect or moniliasis, 194
Dermatitis herpetiformis treated with acetarsone, 292
Hyperpigmentation of abdomen (von Gierke's disease; hyperinsulinism?), 61
Multiple superficial epitheliomatosis, 289
Pemphigus or dermatitis herpetiformis, 200
Pityriasis lichenoides et varioliformis acuta; case for diagnosis, 288
Psoriasis simulating stasis dermatitis, 65
Seborrheic dermatitis; case for diagnosis, 64
Cornea, relation of eye to immunity in experimental syphilis; development of immunity after primary intracorneal inoculation; influence of nonspecific inflammatory reaction in cornea on development of immunity in that tissue after intratesticular inoculation, 121
Correction in transcript of article by Dr. Francesco Ronchese entitled "A Case for Diagnosis (Acquired Localized Trichorrhexis [Trichoclasis]; Keratosis Pilaris?)" (Arch. Dermat. & Syph. 51: 412 [June] 1945), 34
Corson, E. F.: Dermatitis herpetiformis; case for diagnosis, 190
Keratosis palmaris et plantaris, 190
Corynebacterium Diphtheriae: See Diphtheria
Cosmetics, hair lacquer dermatitis in infants from contact with mother's hair, 272
urticaria from perfume, *11
Costello, M. J.: Acrodermatitis perstans of Hallopeau treated successfully with tyrothricin, 57
Congenital cyst of frontal bone, 56
Erysipeloid treated successfully with injections of penicillin; report of case, *400
Ichthyosis or lichen planus hypertrophicus, 135
Nevus pigmentosus et pilosus, 214
Papulonecrotic tuberculid including involvement of face, chest and back, 205
Periphlebitis, perivasculitis nodularis necrotisans or erythema induratum of unusual type, 133
Purpura annularis telangiectodes (Majocchi's disease?) treated successfully with gold sodium thiosulfate, 216
Pyoderma faciale following dermatitis venenata, 215
Tuberculosis verrucosa cutis in patient with advanced pulmonary tuberculosis, 136
Verruca plana or lichen planus, 192
Counter, C. E.: Granuloma annulare with disseminate lesions, 278
Lupus erythematosus, discoid type, 50
Couperus, M.: Lichen sclerosus et atrophicus, 142
Creeping Eruption; results of treatment with fuadin, *174
Cummer, C. L.: Sarcoidosis, 414
Curth, H. O.: Abraham Buschke, 32
Curth, W.: Abraham Buschke, 32
Curtis, A. C.: Beta dimethylaminoethyl benzhydryl ether hydrochloride (Benadryl) in treatment of urticaria, *239
Effect of feeding lipotropic substance to patients with xanthelasma, *252
Curtis, G. H.: Contact dermatitis of eyelids caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
Cushing Syndrome, 63
Cutis Marmorata: See Skin
Cysts: See under names of organs and regions, as Frontal Bone; Hand; Synovial Membrane; etc.

Dandruff: See Seborrhea
Darier's Disease: See Keratosis follicularis
Darier-Roussy Sarcoid: See Sarcoidosis
Dark Adaptation: See Eyes, accommodation and refraction
Darling's Disease: See Histoplasmosis
D'Avanzo, C. S.: Impetigo bullosa in tropics, *28
Decker, H. B.: Generalized calcinosis cutis without involvement of muscles or nerves, 189
Deficiency Diseases: See Nutrition; Pellagra; Vitamins; etc.
Degeneration, Amyloid: See Amyloidosis
Colloid: See under Skin
Dehydration in histologic embedding eliminated by use of water-soluble synthetic plastic, 120
of Food: See Food, dried
Dementia Paralytica; dermatofibrosarcoma protuberans with dementia paralytica tabetic type, 202
Dentition: See Teeth
Depigmentation: See Pigmentation
Dermacentor Variabilis: See under Tularemia
Dermatitis: See also Acrodermatitis; Eczema; Neurodermatitis; etc.
Acneform: See Acne
Actinica: See under Light
Arsphenamine: See Arsphenamines
Atopic: See Eczema; Neurodermatitis
Atrophicans: See Atrophy
Blastomycetic: See Blastomycosis
chronic recurrent papulopustular dermatitis related to vitamin deficiency, 127
Contact: See Dermatitis venenata
dyskeratoid dermatosis; case for diagnosis, 46
Eczematous: See Eczema
exfoliativa in South Pacific, *75
factitia or neurodermatitis circumscripta, 138
factitia or neurotic excoriations, 65, 137
factors influencing dermatitis in coal miners, 187
Gangraenosa: See Gangrene
herpetiformis; case for diagnosis, 190
herpetiformis or pemphigus, 200
herpetiformis; polycythemia with unusual eruption, *172
herpetiformis treated with acetarsone, 292
lichen planus, lichenoid purpuric dermatitis (Gougerot and Blum), avitaminosis A or parapsoriasis, 139
localized sensitivity to crude penicillin, *382
match dermatitis on chest and secondary and grease allergy of face, 68
Medicamentosa: See also under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Barbital and Barbital Derivatives; Bismuth and Bismuth Compounds; Bromide and Bromine; Phenolphthalein and Phenolphthalein Derivatives; Penicillin; Tryparsamide; etc.
medicamentosa associated with secondary polycythemia; report of case, *389
medicamentosa; case for diagnosis, 139
medicamentosa (pentobarbital sodium); dermatomyositis; psychoneurosis; cutis marmorata, 215
Multiformis: See Dermatitis herpetiformis
Occupational: See under Industrial Diseases
psoriasis simulating stasis dermatitis, 65
Rhus: See Rhus, poisoning
Roentgen Ray: See under Roentgen Rays
Seborrheic: See Seborrhea
Solar: See under Light
Venenata: See also Resins; etc.
venenata; hair lacquer dermatitis in infants from contact with mother's hair, 272
venenata; contact dermatitis due to pigment in zinc chromate primer, 279
venenata; contact dermatitis due to "Protek," 279
venenata; contact dermatitis due to resinous ingredients of zinc chromate primer and certain lacquers, 279

Dermatitis—Continued
venenata; contact dermatitis of eyelids caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
venenata; "diaper rash" due to Perm-Aseptic, 408
venenata following use of penicillin ointment, *384
venenata; occupational dermatitis caused by germicidal powder "Microlene," 407
venenata; overtreatment dermatitis, 408
venenata; psoriasis; contact dermatitis, 47
venenata, pyoderma faciale following, 215
Dermatofibrosarcoma protuberans with dementia paralytica tabetic type, 202
Dermatologic societies, directory of, 72, 430
Dermatology, American Board of Dermatology and Syphilology, 70, 269
Army Air Forces dermatology program, *6
dermatologic practice in station hospital in Southern California; comparison with private practice, *21
dermatologic therapy in tropics, 273
eligibility requirements for examination by American Board of Dermatology and Syphilology, Inc., 428
history; erythema nodosum in eighteenth century; case of child Mozart, 33
in army station hospital serving in Italy, *335
one hundredth anniversary of first American textbook of, 117
tropical, course in, 70, 268
Dermatomycosis: See Mycosis, cutaneous; Ringworm
Dermatomyositis; psychoneurosis; dermatitis medicamentosa (pentobarbital sodium): cutis marmorata, 215
Dermatophytes: See Fungi
Dermatophytosis: See Mycosis, cutaneous
Dermatoses: See Dermatitis; Eczema; Skin, diseases; etc.
Derris, allergy from timbó (Lonchocarpus H. B. K.) (case with reaction to Derris, also), 409
Detergents: See also Ammonia and Ammonia Compounds; Soaps
penetration of surface tissues with copper by iontophoresis; penetration with organic and inorganic copper salts and use of detergents in iontophoresis, *96
value of sulfonated oils in treatment of burns and other denuded surfaces, 411
Diabetes Mellitus; necrobiosis lipoidica diabeticorum, 41, 291
superficial gangrene in adolescent diabetes, 187
Diapers: See Dermatitis venenata
Diet and Dietetics: See Nutrition; Vitamins; and under names of food
Diethylstilbestrol: See Estrogens
Dihydroxyhexachlorodiphenylmethane: See Phenylmethane
Diphtheria, cutaneous; medical experiences in North Africa, 1943-4, 187
Directory of dermatologic societies, 72, 430
Dishwashing: See Cooking and Eating Utensils
Disk, Optic: See Nerves, optic
Dixon, H. A.: Intensive treatment of early syphilis with oxophenarsine hydrochloride by multiple injections, *155
Dobes, W. L.: Penicillin in treatment of cutaneous disease, *14
Dolce, F. A.: Creeping eruption; results of treatment with fuadin, *174
Dorne, M.: Lupus erythematosus; case for diagnosis, 196
Parapsoriasis, 288
Pemphigus; case for diagnosis, 60
Driver, J. R.: Adenoma sebaceum (Pringle type forme fruste), 422
Dystrophia mediana canaliformis, 418
Lupus erythematosus hypertrophicus, 417
Lupus vulgaris erythematosus of Leloir; case for diagnosis, 417
Pyoderma gangrenosum associated with nonspecific ulcerative colitis, 416
Scleroderma en coup de sabre, 420
Drugs, Eruptions: See under names of drugs, as Arsenic and Arsenic Compounds; Arsphenamines; Barbital and Barbital Derivatives; Bismuth and Bismuth Compounds; Bromide and Bromine; Penicillin; Phenolphthalein and Phenolphthalein Derivatives; Sulfonamides; Tryparsamide; etc.
Ducrey Vaccine: See under Chancroid
Duemling, W. W.: Cutaneous diseases in South Pacific; observations among military forces, *75
Duhring's Disease: See Dermatitis herpetiformis
Durand-Nicolas-Favre's Disease: See Lymphogranuloma Venereum
Dyschromia: See Vitiligo
Dysentery, Amebic: See Amebiasis
Dyshidrosis: See under Sweat Glands
Dyskeratosis: See Skin, abnormalities
Dystrophy: See Nails

Ear; rosacea and rhinophyma (nose and ear lobes), 201
treatment of external otitis; local sulfonamide therapy, 272
Ebert, M. H.: Lepra maculoanesthetica, 290
Mycosis fungoides in Negro, 63
von Recklinghausen's disease, 62
Tuberculid; case for diagnosis, 197
Ectodermal Defect, congenital, 418
congenital, or moniliasis, 194
ectodermal dysplasia with partial anodontia, 272
epidermodysplasia hystricoidis bullosa; report of case with histopathologic study, *328
hereditary ectodermal dysplasia, 272
Eczema, Atopic: See Neurodermatitis
death caused by vaccinia in eczematoid infant, 186
demonstration of effect of nutrition on skin, 401
generalized vaccinia in eczematous child; demonstration of virus and comment on "Kaposi's varicelliform eruption," 405
Seborrheic: See Seborrhea
use of Benadryl for urticaria and related dermatoses; preliminary report, *243
Edema: See also under names of organs and regions
hereditary; congenital, hereditary lymphedema (Milroy's disease), 187
Eichenlaub, F. J.: Granuloma inguinale, 49
Lichen planus atrophicus, 41
Mycosis fungoides, 49; correction, 185
Parapsoriasis, 45
Peculiar alopecia symptomatica, 41
Syringocystadenoma, 45
Elastic tissue, semblance to mycelium in potassium hydroxide preparations, *115, 401
Electric Blanket: See Thermotherapy
Welder: See Industrial Diseases
Electrocoagulation: See under names of various diseases
Electrosurgery: See under specific headings
Emmons, C. W.: Relation of ultraviolet-induced mutations to speciation in dermatophytes, *257
Endocrine Therapy: See under names of glands and hormones, as Adrenal Preparations; Insulin; etc.
Epidermis: See Skin
Epidermodysplasia hystricoidis bullosa; report of case with histopathologic study, *328
Epidermolysis bullosa; case for diagnosis, 285
bullosa hereditaria, 282
bullosa; suggestion as to possible causation, *317
Epidermophyton: See Mycosis, cutaneous
Epinephrine: See Adrenal Preparations
Epithelioma of lip; case for diagnosis, 144
multiple benign superficial epithelioma, 281
multiple superficial epitheliomatosis, 289
probably arising from sweat glands, 43
squamous cell epithelioma; case for diagnosis, 44
superficial benign basal cell epithelioma, 46
xeroderma pigmentosum with precocious malignancy, 421

Epstein, E.: Dermatologic practice in station hospital in Southern California; comparison with private practice, *21
Erdos-Brown, M.: Hodgkin's disease with pruritus, 194
Premycosis fungoides, 287
Eruptions: See under Arsenic and Arsenic Compounds; Arsphenamines; Skin, diseases; etc.
Erysipeloid treated by penicillin; 2 cases, 412
treated successfully with injections of penicillin; report of case, *400
Erysipelothrix: See Erysipeloid
Erythema, 209
induratum of unusual type, periphlebitis or perivasculitis nodularis necrotisans, 133
multiforme; case for diagnosis, 143
multiforme, recurrent, confined to 1 finger, 57
multiforme; report of case of severe erythema multiforme with involvement of mucous membranes treated with penicillin, *91
multiforme; use of methenamine in dermatology, 185
nodosum, 283
nodosum, etiology of, 188
nodosum in children, 186
nodosum in eighteenth century; case of child Mozart, 33
perstans, 39
Erythrasma: See Microsporosis
Erythrocytes: See Polycythemia; etc.
Erythroderma Exfoliativum: See Dermatitis exfoliativa
Ichthyosiform: See Ichthyosis
Maculopapular: See Parapsoriasis
Esophagus, carcinoma in British West Indian and Panamanian Negroes; study of incidence, etiologic factors and pathologic anatomy in 50 cases, 406
generalized progressive scleroderma with involvement of glottis and esophagus, 196
Esthiomene: See Lymphogranuloma Venereum
Estrogens, effect of endocrine substances on adult human scalp, *323
treatment of post-irradiation necrosis, 410
Estrone: See Estrogens
Eveland, F. B.: Lupus erythematosus; case for diagnosis, 294
Extremities: See also Arms; Legs; etc.
blood supply; epidermolysis bullosa; suggestion as to possible causation, *317
blood supply; use of fluorescein method in establishment of diagnosis and prognosis of peripheral vascular diseases, 120
cutaneous and subcutaneous lesions of lower limbs in connection with veins; differential diagnosis, *376
folliculitis of; pyoderma; perifolliculitis capitis abscedens et suffodiens, 212
Ulcers: See Ulcers
Eyebrows, ringworm of, *116
Eyelashes, contact dermatitis of eyelids caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
pediculosis of, 427
tinea ciliorum and tinea corporis, 426
Eyelids, chronic blepharitis (cause; therapy?), 192
contact dermatitis caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
dermatitis venenata following use of penicillin ointment, *384
Eyes: See also under names of special structures and diseases of eye
accommodation and refraction; disturbances of visual adaptation and their clinical significance, 36

Face, dermatitis venenata following use of penicillin ointment, *384
match dermatitis on chest and secondary and grease allergy of face, 68
papular sarcoid of, 208
papulonecrotic tuberculid including involvement of face, chest and back, 205
Fat: See also Lipoids
demonstration of effect of nutrition on skin, 401
in Blood: See Blood, fats and lipoids
Favre-Nicolas' Disease: See Lymphogranuloma Venereum
Febricula: See Fever
Feet: See Foot
Felsher, Z.: Cushing's syndrome, 63
Generalized progressive scleroderma with involvement of glottis and esophagus, 196
Leukomelanoderma following arsenical dermatitis (malignant melanoma), 64
Fetus: See Pregnancy
Fever: See also Temperature; etc.
and sterile abscess formation accompanying treatment of syphilis with penicillin, *399
San Joaquin: See Coccidioidomycosis
Therapeutic: See Impetigo contagiosa; Neurosyphilis; Syphilis; etc.
Fields, R. J.: Necrobiosis lipoidica diabeticorum, 41
Fifth Venereal Disease: See Granuloma inguinale
Filariasis in Samoan area, 411
Fingers and Toes: See also Foot; Hand
Nails: See Nails
recurrent erythema multiforme confined to 1 finger, 57
Fluorescein: See Extremities, blood supply
Folliculitis decalvans (Little), lichen planopilaris; lichen planus et acuminatus atrophicans (Feldman) and lichen spinulosus, 213
keloidalis, 423
of extremities; pyoderma; perifolliculitis capitis abscedens et suffodiens, 212
Food: See also Nutrition; Vitamins
dried; dermatitis from dehydration of potatoes, *9
Foot: See also Fingers and Toes; etc.
arsenical keratoses of palms and soles or trophic ulcer of, 126
sandals and hygiene and infections of feet, *365
trench foot, 186
undecylenic acid in treatment of dermatomycosis, *166
Foreskin: See Penis
Foster, P. D.: Herpes simplex of buttocks, 54
Seborrheic dermatitis; case for diagnosis, 55
Fourth Venereal Disease: See Lymphogranuloma Venereum
Fox, H.: American leishmaniasis, 207
Generalized progressive scleroderma, 123
Pachyonychia congenita, 125
Pityriasis rubra pilaris, 128
Frambesia, treatment of yaws with penicillin, 407
yaws, 37
yaws in white soldier, 407
Franklin, J. E.: Creeping eruption; results of treatment with fuadin, *174
Franks, A. G.: Penicillin in treatment of cutaneous disease, *14
Freeman, H. E.: Acute monocytic leukemia cutis (Naegely variety), 275
Fixed bismuth dermatitis; case for diagnosis, 275
Lichen planus with atrophic lesion or lichen sclerosus et atrophicus of Hallopeau, 51
Progressive pigmentary dermatosis (Schamberg's disease); case for diagnosis, 52
Frei Reaction: See Lymphogranuloma Venereum
Friderichsen-Waterhouse Syndrome: See Adrenals, hemorrhage
Friedman, R.: Idiopathic gangrene of penis complicating scabies, 297
Tuberculosis cutis (?) and psoriasis, 294
Frontal Bone, congenital cyst of, 56
Frost, K.: Erythema multiforme; case for diagnosis, 143
Lupus erythematosus and psoriasis coexisting in same patient, 53
Fuadin: See Creeping Eruption
Fuller, J. R.: New cutaneous bactericidal agent used in soap; further practical studies, *385

Fungi: See also Aspergillus; Blastomycosis; Moniliasis; Mycosis; Ringworm; Trichophytosis; etc.
alkaline medium and procedure for selection of dermatophytes in presence of saprophytic fungi, 410
courses in mycology and radiologic physics, 269
fungous infection of back of neck, 293
improved method for preparing permanent slides of fungus cultures, *267
relation of ultraviolet-induced mutations to speciation in dermatophytes, *257
semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115, 401
treatment of external otitis; local sulfonamide therapy, 272
Fungicide: See Ringworm
Furunculosis, demonstration of effect of nutrition on skin, 401
Fusospirochetosis, penicillin pastilles for oral infection, 412
treatment of Vincent's angina with sulfathiazole, 407
Vincent's disease of skin, *87

G-11: See Phenylmethane
Gammel, J. A.: Systematized epithelial nevus, 421
Gangrene, idiopathic, of penis complicating scabies, 297
superficial, in adolescent diabetes, 187
Gant, J. Q., Jr.: One hundredth anniversary of first American textbook of dermatology, 117
Gaumond, xeroderma pigmentosum; additional notes on 6 cases of Dr. Mayrand and Dr. Gaumond, *176
General Paralysis: See Dementia Paralytica
Genitals: See under names of genitals, as Penis; etc.
German Measles: See Rubella
Germicides, new cutaneous bactericidal agent used in soap; further practical studies, *385
von Gierke's Disease: See Glycogen
Gilchrist's Disease: See Blastomycosis
Gingivitis: See Fusospirochetosis
Glossitis: See Tongue
Glottis, generalized progressive scleroderma with involvement of glottis and esophagus, 196
Glycogen, hyperpigmentation of abdomen (von Giercke's disease; hyperinsulinism?), 61
Goebel, M. E.: Fever and sterile abscess formation accompanying treatment of syphilis with penicillin, *399
Goeckerman, W. H.: Kendal Frost, 403
Lichen planus or lupus erythematosus, 143
Gold and Gold Compounds, lupus erythematosus; pityriasis-rosea-like dermatitis following therapy with gold salt, 193
Therapy: See Purpura annularis telangiectodes
Goldberg, L. C.: Lupus erythematosus; treatment with oxophenarsine hydrochloride, *89
Penicillin in treatment of cutaneous diseases, 184
Goldstein, H. I.: Use of methenamine in dermatology, 185
Goldstein's Disease: See Telangiectasia
Goldzieher, J. W.: Adrenal glands in pemphigus vulgaris; report of 6 autopsies and review of literature, *369
Gordon, H. H.: Treatment of ichthyosis, *178
Gordon Test: See Hodgkin's Disease
Gottron's Disease: See Ichthyosis
Grace, A. W.: Fever and sterile abscess formation accompanying treatment of syphilis with penicillin, *399
Grafts: See under Skin
Graham, J. C.: Lupus pernio (Besnier), 208
Graham, T. N.: Allergic eruption; case for diagnosis, 425
Purpura of unknown cause, 134
Granuloma annulare, 68, 424
annulare, disseminated, with atrophy, 278
annulare with disseminate lesions, 278
Coccidioidal: See Coccidioidomycosis
Granuloma—Continued
Fungoides: See Mycosis fungoides
infectious (tuberculous; syphilitic?), 210
Inguinale, 49, 69, 410. See also Lymphogranuloma Venereum
inguinale; amebic infection of vulva complicating granuloma pudendi, 273
inguinale; experimental investigation of etiology and immunology, 406
inguinale, failure of penicillin in treatment; report of case, *182
inguinale, polyarticular arthritis and osteomyelitis due to, 35
inguinale; review of progress, 120
Malignant: See Hodgkin's Disease
Paracoccidioidal: See Blastomycosis
Tropicum: See Frambesia
Venereal: See Lymphogranuloma Venereum
Grease; match dermatitis on chest and secondary and grease allergy of face, 68
Green, W. S.: Semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115; comment by Pels, 401
Gross, E.: Primary inoculation tuberculosis, 293
Gumma: See Syphilis, tertiary
Gums, Diseases: See Fusospirochetosis

Habermann's Disease: See Pityriasis lichenoides et varioliformis acuta
Hair: See also Alopecia
Lacquer: See Cosmetics
pigmentation on transplanted skin in hooded rats, *347
trichophytosis barbae, 419
Hall, A. F.: Contact dermatitis due to pigment in zinc chromate primer, 279
Contact dermatitis due to "Protek," 279
Contact dermatitis due to resinous ingredients of zinc chromate primer and certain lacquers, 279
Epithelioma of lip; case for diagnosis, 144
Hallopeau's Disease: See Acrodermatitis
Halloran, C.: Late syphilis; case for diagnosis, 141
Hand: See also Fingers and Toes
epithelial cysts, 410
Hansen's Disease: See Leprosy
Haserick, J. R.: Failure of penicillin in treatment of granuloma inguinale; report of case, *182
Hathaway, J. C.: Vitamin B complex for vitiligo, 117
Haxthausen's Disease: See Keratosis
Hazen, H. H.: Extragenital syphilitic infection in Negroes, *114
Psoriasis; contact dermatitis, 47
Headache; lumbar puncture headaches, 407
Heart, white cross striae of finger nails following cardiac infarction, *106
Hecht, H.: Recurrent urticaria chronica, 424
Hemophilus Ducreyi: See Chancroid
Hemorrhage: See under Adrenals; etc.
Cutaneous: See Purpura
Henningsen, A. B.: Lupus vulgaris, 194
Heredity, relation of ultraviolet-induced mutations to speciation in dermatophytes, *257
Herpes; herpetic stomatitis in infants and children, 37
psoriasis or vesicular lichen planus, 67
simplex of buttocks, 54
simplex resembling herpes zoster, 423
use of methenamine in dermatology, 185
zoster, chickenpox and acute anterior poliomyelitis, 410
zoster, Hunt's syndrome, 62
zoster, keloid following, 203
zoster resembling herpes simplex, 423
Hidradenitis: See under Sweat Glands
Hidradenoma; adenoma of apocrine sweat glands (hidradenoma) of anal canal, 120
Histoplasmosis (Darling), 130
Hodgkin's Disease, 407
with pruritus, 194

Hollaender, A.: Relation of ultraviolet induced mutations to speciation in dermatophytes, *257
Hormones: See Adrenal Preparations; Androgens; Estrogens; Insulin; etc.
Hosiery: See Clothing
Hospitals, Army Air Forces dermatology program, *6
dermatologic practice in station hospital in Southern California; comparison with private practice, *21.
dermatology in army station hospital serving in Italy, *335
Hubler, W. R.: Acrodermatitis atrophicans chronica with fibrous cutaneous nodules, 416
Angioendothelioma of skin, 419
Granuloma annulare, 424
Sarcoid or late cutaneous syphilid, 414
Trichophytosis barbae, 419
Xeroderma pigmentosum with precocious malignancy, 421
Hunt Syndrome: See Herpes zoster
Hutchinson-Boeck Sarcoid: See Sarcoidosis
Hydroa puerorum, atypical, or achromic nevus, 297
Hyperergy: See Anaphylaxis and Allergy
Hyperhidrosis: See Sweat Glands
Hyperinsulinism: See Insulin; Pancreas, tumors
Hyperkeratosis: See Keratosis
Hyperpigmentation: See Pigmentation
Hyperproteinemia: See Blood, proteins
Hyperpyrexia: See under Syphilis; etc.
Hypohidrosis: See Sweat Glands
Hypothyroidism: See Myxedema
Hypotrichosis: See Alopecia

Ichthyosis; ichthyosiform erythroderma, 130
or lichen planus hypertrophicus, 135
Simplex: See Xeroderma
treatment of, *178
Icterus: See Jaundice
Immunity: See Anaphylaxis and Allergy; Antigens and Antibodies; etc.
Impetigo Bullosa in tropics, *28, 268
contagiosa, cured by fever, 37
contagiosa treated with microcrystalline sulfathiazole, 273
Industrial Diseases: See also Mines and Miners; etc.
contact dermatitis due to pigment in zinc chromate primer, 279
contact dermatitis due to "Protek," 279
contact dermatitis due to resinous ingredients of zinc chromate primer and certain lacquers, 279
dermatitis from dehydration of potatoes, *9
light sensitization (in electric welder), 122
lupus erythematosus of occupational origin, 209
occupational dermatitis caused by germicidal powder "Microlene," 407
oil acne of unusual type, 144
seborrheic dermatitis; case for diagnosis, 55
skin hazards in manufacture and processing of synthetic rubber, 407
Infantile Paralysis: See Poliomyelitis
Infants: See also Children
acute glomerular nephritis in infant with congenital syphilis, 405
calcinosis universalis in, 122
"diaper rash" due to Perm-Aseptic, 408
hair lacquer dermatitis from contact with mother's hair, 272
Infarction: See Heart
Infectious Diseases: See Diphtheria; Syphilis; etc.
Injections, intensive treatment of early syphilis with oxophenarsine hydrochloride by multiple injections, *155
Inositol, role in alopecia of rats fed sulfasuxidine, 36
Instruments, contact dermatitis of eyelids caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
penetration of surface tissues with copper by iontophoresis; penetration with organic and inorganic copper salts and use of detergents in iontophoresis, *96
Insulin: See also Diabetes Mellitus
hyperpigmentation of abdomen (von Gierke's disease; hyperinsulinism?), 61
Ion Transfer; penetration of surface tissues with copper by iontophoresis; penetration with organic and inorganic copper salts and use of detergents in iontophoresis, *96
Iontophoresis: See Ion Transfer
Irritation and carcinogenesis, 121
Irving, L.: Sandals and hygiene and infections of feet, *365
Itching: See Pruritus
Ivy Poisoning: See Rhus, poisoning

Jacobson, H. P.: Nodular interstitial glossitis due to syphilis, 277
Jadassohn's Disease: See Atrophy
Jaundice, post-arsphenamine, prevention of, 412
Jensen, A. K.: Blastomycosis or sporotrichosis, 142
Pellagra or pityriasis rubra pilaris, 145
Jericho Boil: See Leishmaniasis
Johnson, H. M.: Case for diagnosis, 67
Granuloma annulare, 68
Lichen nitidus, 67
Match dermatitis on chest and secondary and grease allergy of face, 68
Tuberculosis verrucosa cutis, 68
Waterhouse-Friderichsen syndrome; report of case, *391
Johnson-Stevens Disease: See Erythema multiforme
Joints: See also under names of joints
Diseases: See Arthritis; etc.
Juxta-Articular Nodes: See Nodes

Kagen, M. S.: Urticarial reaction from penicillin, 291
Kahn, J. B.: Urticaria from perfume, *11
Kahn Test: See under Syphilis
Kala-Azar: See Leishmaniasis
Kaposi's Disease: See Xeroderma pigmentosum
Sarcoma: See Sarcoma
Varicelliform Eruption: See Pyoderma
Keddie, F. M.: Histoplasmosis (Darling), 130
Keloids: See also Cicatrix
folliculitis keloidalis, 423
following herpes zoster, 203
Kennedy, J. V.: Xanthoma tuberosum, 45
Keratoderma: See Keratosis
Keratosis: See also Ichthyosis
arsenical, of palms and soles or trophic ulcer of foot, 126
blennorrhagica; case for diagnosis, 206
disturbances of visual adaptation and their clinical significance, 36
palmaris et plantaris, 190
porokeratosis, 294
psoriasis of palms and soles or keratoderma climacterium, 123
Kidneys, Diseases: See Nephritis
systemic manifestations of bismuth toxicity, 405
Kirby-Smith, H.: Acute disseminated lupus erythematosus, 42
Mycosis fungoides, tumor stage, 44
Kittredge, H.: Amyloidosis cutis, 49
Koretsky, L.: Lupus vulgaris or sarcoid (Darier-Roussy), 138
Korth, Z. N.: Case for diagnosis, 47
Dyskeratoid dermatosis; case for diagnosis, 46
Kaposi's sarcoma or lichen planus hypertrophicus, 39
Krause, M. E.: Dystrophic mediana canaliformis, 418
Lupus vulgaris erythematosus of Leloir; case for diagnosis, 417
Kussmaul-Maier Disease: See Periarteritis nodosa

Labia Majora: See Vulva
Lacquers, contact dermatitis due to resinous ingredients of zinc chromate primer and certain lacquers, 279
Nail Lacquer: See Cosmetics

Ladany, E.: Dermatology in army station hospital serving in Italy, *335
Lamb, J. H.: Allergic reactions during administration of penicillin, *93
Lane, C. G.: John Harper Blaisdell, 119
Vitiligo, scleroderma or lichen sclerosus et atrophicus, 140
LaRocco, C. G.: Sarcoidosis, 414
Larva Migrans: See Creeping Eruption
Lawrence, H.: Granuloma annulare; case for diagnosis, 68
Laymon, C. W.: Classification of tuberculosis of skin, *108
Lichen sclerosus et atrophicus in childhood, *351
Lederle-Vollmer Test: See Tuberculosis
Legs: See also Extremities; Foot
angiokeratoma of, 273
Ulcers: See Ulcers
Leiomyoma, multiple, 218
Leishmaniasis, American, 207
cutaneous (oriental sore); treatment with quinacrine hydrochloride, *26
Lentz, J. W.: Carbohydrate metabolism and skin, *301
Lepromin: See Leprosy
Leprosy, differentiation of lepromatous from "neural" leprosy; basis, method and report of 5 cases, *354
lepra maculoanesthetica, 290
our leprosy problem, 411
recent trends in United States, 407
tuberculoid; sarcoidosis; late latent syphilis (treated), 413
Leukemia, acute monocytic leukemia cutis (Naegely variety), 275
cutis or mycosis fungoides, 54
Leukocytes: See Eosinophils; Leukemia; Lymphocytes; etc.
Leukoderma: See Vitiligo
Leukomelanoderma: See Melanin, pigmentation
Levin, O. L.: Localized myxedema, 211
Levine, B.: Folliculitis keloidalis, 423
Herpes simplex resembling herpes zoster, 423
Mycosis fungoides, 420
Lewis, G. M.: Acrodermatitis continua or psoriasis, 204
Calcinosis cutis or osteopoikilosis, 128
Dermatomyositis; psychoneurosis; dermatitis medicamentosa (pentobarbital sodium); cutis marmorata, 215
Psoriasis of nails; case for diagnosis, 205
Psoriasis of palms and soles or keratoderma climacterium, 123
Recurrent erythema multiforme confined to 1 finger, 57
Urticaria pigmentosa (acquired type); case for diagnosis, 209
Lice: See Pediculosis
Lichen nitidus, 67, 141
planopilaris, 188
planopilaris; lichen planus et acuminatus atrophicans (Feldman), lichen spinulosus and folliculitis decalvans (Little), 213
planus atrophicus, 41
planus et acuminatus atrophicans (Feldman), lichen planopilaris, lichen spinulosus and folliculitis decalvans (Little), 213
planus hypertrophicus or ichthyosis, 135
planus hypertrophicus or Kaposi's sarcoma, 39
planus, lichenoid purpuric dermatitis (Gougerot and Blum), avitaminosis A or parapsoriasis, 139
planus or lupus erythematosus, 143
planus or verruca plana, 192
planus; tropical lichen planus-like disease, *1
planus, vesicular, psoriasis, or herpes, 67
planus with atrophic lesions or lichen sclerosus et atrophicus of Hallopeau, 51
sclerosus et atrophicus, 142
sclerosus et atrophicus in childhood, *351
sclerosus et atrophicus of Hallopeau or lichen planus with atrophic lesions, 51
sclerosus et atrophicus or morphea, 61
sclerosus et atrophicus, vitiligo or scleroderma, 140
Lichen—Continued
scrofulosorum and tuberculosis colliquativa, 189
scrofulosorum or lichen syphiliticus (extragenital infection), 195
spinulosus; lichen planopilaris; lichen planus et acuminatus atrophicans (Feldman) and folliculitis decalvans (Little), 213
spinulosus; psoriasis, pseudopelade (lichen spinulosus) and/or alopecia areata, 208
striatus, 199
syphiliticus (extragenital infection) or lichen scrofulosorum, 195
verrucosus et reticularis (Kaposi); porokeratosis striata (Nékám); morbus moniliformis lichenoides (Wise and Rein), 129
Lichenification: See Neurodermatitis
Lichens: See Fungi
Light: See also Ultraviolet Rays; etc.
is penicillin a photosensitizing agent? *17
sensitization (in electric welder), 122
xeroderma pigmentosum with precocious malignancy, 421
Limbs: See Arms; Extremities; Legs
Lingua: See Tongue
Lipemia: See Blood, fats and lipoids
Lipids: See Lipoids
Lipoidosis: See Xanthoma
Lipoids, effect of feeding lipotropic substance to patients with xanthelasma, *252
in Blood: See Blood, fats and lipoids
necrobiosis lipoidica diabeticorum, 41, 291
necrobiosis lipoidica without diabetes, 295
xanthoma or lipid disturbance, 295
Lips, epithelioma; case for diagnosis, 144
melanoma; case for diagnosis, 203
Literature, one hundredth anniversary of first American textbook of dermatology, 117
Little, R. P.: Carbarsone in treatment of pemphigus; preliminary report, *397
Liver, acute yellow atrophy in early syphilis; case report with summary of literature, 120
Therapy: See Lupus erythematosus
Loewenthal, K.: Sensitivity of tuberculin patch test (Vollmer-Lederle); results with 318 persons presenting various dermatoses, *249
Lonchocarpus, allergy from timbó (Lonchocarpus H. B. K.), 409
Lowenfish, F. P.: Infectious granuloma (tuberculous; syphilitic), 210
Luetin Test: See under Syphilis
Lumbar Puncture: See Spinal Puncture
Lungs, Tuberculosis: See Tuberculosis, pulmonary
Luotest: See under Syphilis
Lupoid: See Sarcoidosis
Lupus: See also Tuberculosis
erythematosus, 285
erythematosus, acute disseminated, 42
erythematosus and psoriasis coexisting in same patient, 53
erythematosus, case for diagnosis, 196, 294
erythematosus, discoid type, 50
erythematosus hypertrophicus, 417
erythematosus of occupational origin, 209
erythematosus or lichen planus, 143
erythematosus; pityriasis-rosea-like dermatitis following therapy with gold salt, 193
erythematosus, possible, 128
erythematosus profundus; case for diagnosis, 67
erythematosus; treatment with oxophenarsine hydrochloride, *89
pernio (Besnier), 208
vulgaris, 67, 192, 194, 288
vulgaris erythematosus of Leloir; case for diagnosis, 417
vulgaris or sarcoid (Darier-Roussy), 138
Lygranum: See Lymphogranuloma Venereum
Lymph Nodes: See Leukemia; Lymphosarcoma; etc.
Lymphangitis, chronic, or rhinoscleroma, 57
Tropical: See Filariasis
Lymphedema: See Edema, hereditary
Lymphoblastoma: See also Hodgkin's Disease
of scrotum, 214

Lymphocytes, role in antibody formation, 408
Lymphogranuloma, Hodgkin's: See Hodgkin's Disease
Inguinale: See Granuloma inguinale; Lymphogranuloma Venereum
Schaumann's: See Sarcoidosis
Lymphogranuloma Venereum, discussion of some points related to, 274
Lymphopathia Venerea: See Lymphogranuloma Venereum
Lymphosarcoma of nose, 287

McCaleb, L.: Squamous cell epithelioma; case for diagnosis, 44
McCauley, F. J.: Henry J. F. Wallhauser, 270
McClendon, J. F.: Demonstration of effect of nutrition on skin, 401
McCrae, L. E.: Idiopathic gangrene of penis complicating scabies, 297
McGuire, J. A.: Fixed bullous eruption due to sulfathiazole, *342
Machacek, G. F.: Psoriasis; pseudopelade (lichen spinulosus), and/or alopecia areata, 208
Pyoderma; perifolliculitis capitis abscedens et suffodiens; folliculitis of extremities, 212
Macklin, M. T.: Xeroderma pigmentosum; additional notes on 6 cases of Dr. Mayrand and Dr. Gaumond, *176
MacVicar, D. N.: Adenoma sebaceum (Pringle type forme fruste), 422
Lupus erythematosus hypertrophicus, 417
Scleroderma en coup de sabre, 420
Maier-Kussmaul Disease: See Periarteritis nodosa
Majocchi's Disease: See Purpura annularis telangiectodes
Mal del Pinto: See Pinta
Malformations: See Abnormalities and Deformities
Malnutrition: See Nutrition; Vitamins; etc.
Mammary Gland: See Breast
Mantoux Reaction: See Tuberculosis
Mapharsen: See Arsenic and Arsenic Compounds; Syphilis; etc.
Marble Bones: See Osteosclerosis fragilis
Markson, L. S.: Dermatitis venenata following use of penicillin ointment, *384
Match dermatitis on chest and secondary and grease allergy of face, 68
Mayrand, xeroderma pigmentosum; additional notes on 6 cases of Dr. Mayrand and Dr. Gaumond, *176
Measles, German: See Rubella
Medicine, Aviation: See Aviation and Aviators
Military: See Military Medicine
Naval: See Naval Medicine
Tropical: See Tropical Medicine
Mehmert, H. E.: Sandals and hygiene and infections of feet, *365
Meige's Disease: See Edema, hereditary
Melanin: See also Melanoma; Pigmentation
pigmentation; leukomelanoderma following arsenical dermatitis (malignant melanoma), 64
Melanoma, 69
case for diagnosis, 203
leukomelanoderma following arsenical dermatitis (malignant melanoma), 64
Melanosis: See Melanin, pigmentation
Meningococci; Waterhouse-Friderichsen syndrome; report of case, *391
Menopause; psoriasis of palms and soles or keratoderma climacterium, 123
Mental Diseases: See Neuroses and Psychoneuroses
Metasyphilis: See Syphilis, congenital
Methenamine, use in dermatology, 185
Mibelli's Disease: See Angiokeratoma
Michelson, H. E.: Classification of tuberculosis of skin, *108
Epidermolysis bullosa; case for diagnosis, 285
Lupus erythematosus, 285
Mycosis fungoides, 286
Periarteritis nodosa, 292
Microfilaria: See Filariasis
Microlene: See Dermatitis venenata
Microsporosis, erythrasma in South Pacific, *75
Military Medicine: See also Aviation and Aviators; Gas; etc.
clinical investigation of new cutaneous entity, *226
cutaneous diseases in South Pacific; observations among military forces, *75
dermatologic practice in station hospital in Southern California; comparison with private practice, *21
dermatology in army station hospital serving in Italy, *335
effective 3 hour treatment of scabies, 184
filariasis in Samoan area, 411
medical experiences in North Africa 1943-4, 187
new cutaneous syndrome occurring in New Guinea and adjacent islands; preliminary report, *221
sandals and hygiene and infections of feet, *365
skin diseases in tropics, 37
skin diseases with army in India, 122
staining of skin from quinacrine hydrochloride; case for diagnosis, 199
treatment of ichthyosis, *178
trench foot, 186
tropical anhidrotic asthenia, 37
war and oxygen therapy, 410
yaws in white soldier, 407
Milium, Colloid: See under Skin
Miller, H. E.: Lichen verrucosus et reticularis (Kaposi); porokeratosis striata (Nékàm); morbus moniliformis lichenoides (Wise and Rein), 129
Miller, J. L.: Alopecia areata or arsenical dermatitis, 426
Parapsoriasis or secondary syphilis, 213
Pediculosis of eyelashes, 427
Psoriasis, 427
Recurrent syphilis; macular atrophy secondary to syphilis, 212
Sarcoid, 427
Milroy's Disease: See Edema, hereditary
Mines and Miners, factors influencing dermatitis in coal miners, 187
Mitchell, J. H.: Acrodermatitis; case for diagnosis, 288
Lichen sclerosus et atrophicus or morphea, 61
Neurotic excoriations; case for diagnosis, 65
Staining of skin from quinacrine hydrochloride; case for diagnosis, 199
Molds: See Fungi
Moles: See Nevi
Moniliasis or congenital ectodermal defect, 194
generalized, and trichophytosis, 277
generalized cutaneous monilial infection, 272
lichen verrucosus et reticularis (Kaposi); porokeratosis striata (Nékàm); morbus moniliformis lichenoides (Wise and Rein), 129
Montenegro Test: See Leishmaniasis
Montgomery, R. M.: Lupus vulgaris, 192
Tinea ciliorum and tinea corporis, 426
Morphea: See Scleroderma
Morris, G. E.: Neurodermatitis circumscripta or dermatitis factitia, 138
Mouth: See also Stomatitis; etc.
dermatologic diseases frequently encountered by otolaryngologists, 410
penicillin pastilles for oral infection, 412
Mozart, erythema nodosum in 18th century; case of child Mozart, 33
Mucous Membrane: See also Lips; Mouth; Nose; etc.
erythema multiforme; report of case of severe erythema multiforme with involvement of mucous membranes treated with penicillin, *91
Muskatblit, E.: Ringworm of eyebrow, *116
Semblance of elastic tissue to mycelium in potassium hydroxide preparations, 401 [comment on article by Green and Shepard]
Mutation: See Heredity
Mycelium, semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115, 401
Mycobacterium Leprae: See under Leprosy
Mycology: See Fungi; Mycosis

Mycosis: See also Blastomycosis; Moniliasis; Ringworm; Tinea; etc.
cutaneous, in South Pacific, *75
cutaneous; onychomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
cutaneous; skin diseases with army in India, 122
cutaneous: undecylenic acid in treatment of dermatomycosis, *166
fungoides, 48, 58, 286, 420; correction, 185
fungoides; acrodermatitis atrophicans chronica with fibrous cutaneous nodules, 416
fungoides exhibiting large concentric lesions and treated with testosterone, 298
fungoides in Negro, *18, 63
fungoides or leukemia cutis, 54
fungoides; premycosis fungoides, 287
fungoides, tumor stage, 44
Myxedema, localized, 211

Nails, abnormalities; pachyonychia congenita, 125
dystrophia mediana canaliformis, 418
onychomycosis due to Trichophyton purpureum, 124
onychomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
psoriasis of; case for diagnosis, 205
undecylenic acid in treatment of dermatomycosis, *166
white cross striae of finger nails following cardiac infarction, *106
Nares: See Nose
Naval Medicine: See also Aviation and Aviators; Hospitals; Military Medicine; etc.
cutaneous diseases in South Pacific; observations among military forces, *75
salt water ulcers of extremities; occurrence in Japanese survivors, 411
Navies: See Naval Medicine
Neck, fungous infection of back of, 293
Necrobiosis Lipoidica: See Skin, diseases
Necrosis: See Roentgen Rays
Negroes, esophageal carcinoma in British West Indian and Panamanian Negroes; study of incidence, etiologic factors and pathologic anatomy in 50 cases, 406
extragenital syphilitic infection in, *114
mycosis fungoides in, *18, 63
Neoarsphenamine: See Arsphenamines; and under names of various diseases, as Syphilis; etc.
Neoplasms: See Cancer; Sarcoma
Nephritis, acute glomerular, in infant with congenital syphilis, 405
Nerves, differentiation of lepromatous from "neural" leprosy; basis, method and report of 5 cases, *354
optic; neurosyphilis and oculist, 121
Nervous System, Syphilis: See Neurosyphilis
Netherton, E. W.: Acrodermatitis atrophicans chronica with fibrous cutaneous nodules, 416
Angioendothelioma of skin, 419
Granuloma annulare, 424
Sarcoid or late cutaneous syphilid, 414
Trichophytosis barbae, 419
Xeroderma pigmentosum with precocious malignancy, 421
Neurodermatitis circumscripta or dermatitis factitia, 138
Neurofibromatosis, multiple, of peculiar papular form, 283
von Recklinghausen's disease, 62
von Recklinghausen's disease in identical twins, 212
Neuroma, cutaneous, 202
Neuroses and Psychoneuroses; dermatomyositis; psychoneurosis; dermatitis medicamentosa (pentobarbital sodium); cutis marmorata, 215
neurotic excoriations; case for diagnosis, 65
neurotic excoriations or dermatitis factitia, 137
Neurosyphilis: See also Dementia Paralytica; Tabes Dorsalis
and oculist, 121
symptomatic, 186
treatment, 186
Nevi: See also Angioma
achromic, or atypical hydroa puerorum, 297
acne vulgaris occurring in tropics in pigmentary and pilosebaceous nevus, *322
angiokeratoma (unilateral nevus), 128
comedonicus, 215
linearis; case for diagnosis, 141
nevus flammeus associated with conjunctival telangiectasia and possible early choroidal tumor, 35
pigmentosus et pilosus, 202, 214
systematized epithelial nevus, 421
Vascular: See Angioma; Telangiectasia
Newhall, C. A.: New cutaneous bactericidal agent used in soap; further practical studies, *385
Nickerson, W. J.: Sandals and hygiene and infections of feet, *365
Nicolas-Favre Disease: See Lymphogranuloma Venereum
Nicotinic Acid: See also Vitamins, B
bacterial destruction of, 409
Niedelman, M. L.: Pemphigus vulgaris improved by acetarsone, 298
Nipples: See Breast
Nisbet, T. W.: New cutaneous syndrome occurring in New Guinea and adjacent islands; preliminary report, *221
Nitritoid Reaction: See Arsenic and Arsenic Compounds
Nodes: See also Erythema nodosum; etc.
acrodermatitis atrophicans chronica with fibrous cutaneous nodules, 416
syphilitic juxta-articular nodules combined with leukoderma of wrists, palms and feet, 66
Nose, chronic lymphangitis or rhinoscleroma, 57
lymphosarcoma of, 287
melanoma, 69
rosacea and rhinophyma (nose and ear lobes), 201
Nutrition: See also Vitamins; etc.
demonstration of effect on skin, 401

Obermayer, M. E.: Multiple neurofibromatosis of peculiar papular form, 283
Synovial pseudocysts; case for diagnosis, 52

OBITUARIES:
Blaisdell, John Harper, 119
Buschke, Abraham, 32
Frost, Kendal P., 269, 403
Hopkins, Ralph, 30
Wallhauser, Henry J. F., 71, 270
Wayson, James Thomas, 183

Occupational Diseases: See Industrial Diseases
Odors, urticaria from perfume, *11
Oil acne of unusual type, 144
Sulfonated: See Detergents
Ointments: See also Skin, diseases
penicillin in treatment of cutaneous diseases, 184
penicillin; studies on stability relative to potency and on sensitivity of human skin to patch tests with ointment, *246
propionate and undecylenate ointments in treatment of tinea pedis and in vitro comparison of their fungistatic and antibacterial effects with other ointments, 406
Oleoresin: See Rhus, poisoning
Oliver, E. A.: Dermatofibrosarcoma protuberans with dementia paralytica tabetic type, 202
Omens, D. V.: Hunt's syndrome, 62
Lupus vulgaris, 288
Pemphigus vulgaris, 200
Systemic blastomycosis, 198
Urticarial reaction from penicillin, 291
Omens, H. D.: Hunt's syndrome, 62
Lupus vulgaris, 288
Pemphigus vulgaris, 200
Systemic blastomycosis, 198
Onychia: See Nails
Onychodystrophy: See Nails
Onychomycosis: See Nails

Oppenheim, M.: Effective 3 hour treatment of scabies, 184
Necrobiosis lipoidica diabeticorum, 291
Tuberculosis miliaris disseminata faciei, 59
Optic Disk: See Nerves, optic
Oriental Sore: See Leishmaniasis
Orman, J. M.: Epidermolysis bullosa; suggestion as to possible causation, *317
Ormsby, O. S.: Pityriasis rubra pilaris (vitamin A deficiency), 201
Osler's Disease: See Telangiectasia
Osmyls: See Odors
Osteomyelitis and polyarticular arthritis due to granuloma inguinale, 35
Osteopoikilosis: See Osteosclerosis fragilis
Osteosclerosis fragilis; calcinosis cutis or osteopoikilosis, 128
Otsuka, M.: Blastomycosis, 62
Lepra maculoanesthetica, 290
Mycosis fungoides in Negro, 63
Pemphigus vulgaris, 200
Tuberculid; case for diagnosis, 197
Urticarial reaction from penicillin, 291
von Recklinghausen's disease, 62
Owens, B. B.: Beta dimethylaminoethyl benzhydryl ether hydrochloride (Benadryl) in treatment of urticaria, *239
Oxophenarsine Hydrochloride: See Lupus erythematosus; Syphilis
Oxygen therapy and war, 410

Pachyonychia: See Nails, abnormalities
Palate, gumma of, 69
Pancreas, tumors; hyperpigmentation of abdomen (von Gierke's disease; hyperinsulinism?), 61
Papilla, Optic: See Nerves, optic
Papilloma; virus papillomas in burn scars; case for diagnosis, 66
Paraffinoma, 42
Paralysis: See Poliomyelitis; etc.
General: See Dementia Paralytica
Infantile: See Poliomyelitis
Parapsoriasis, 288
and pulmonary tuberculosis, 45
case for diagnosis, 284
lichen planus, lichenoid purpuric dermatitis (Gougerot and Blum) or avitaminosis A, 139
lichenoides (Brocq); case for diagnosis, 140
or secondary syphilis, 213
pityriasis lichenoides et varioliformis acuta, 136, 288
Paresis: See Dementia Paralytica
Pasteurella Tularensis: See Tularemia
Patch Test: See Anaphylaxis and Allergy
Peck, S. M.: Dermatitis from dehydration of potatoes, *9
Pediculosis of eyelashes, 427
Pelada: See Alopecia areata
Pellagra or pityriasis rubra pilaris, 145
Pels, I. R.: Semblance of elastic tissue to mycelium in potassium hydroxide preparations, 401 [comment on article by Green and Shepard]
Pemphigus, carbarsone in treatment; preliminary report, *397
case for diagnosis, 60, 218
erythematosis (Senear-Usher syndrome) or pemphigus vulgaris, 131
foliaceus, Brazilian, clinical concept of, 188
or dermatitis herpetiformis, 200
vulgaris, 200
vulgaris, adrenal glands in; report of 6 autopsies and review of literature, *369
vulgaris improved by acetarsone, 298
vulgaris or pemphigus erythematosis (Senear-Usher syndrome), 131
Penicillin, allergic reactions during administration of, *93
dermatitis venenata following use of ointment, *384
experiments on toxicity of calcium salt of penicillin, 36
fever and sterile abscess formation accompanying treatment of syphilis with penicillin, *399
Penicillin—Continued
in civilian practice, 412
is penicillin a photosensitizing agent? *17
ointment; studies on stability relative to potency and on sensitivity of human skin to patch tests with ointment, *246
Therapy: See Anthrax; Coccidioidomycosis; Erysipeloid; Erythema multiforme; Frambesia; Granuloma inguinale; Skin, diseases; Syphilis; etc.
urticarial reaction from, 291
Penis, Bowen's disease of; late latent syphilis (treated), 413
idiopathic gangrene of penis complicating scabies, 297
Pentobarbital: See Barbital and Barbital Derivatives
Pereyra, A. J.: Penetration of surface tissues with copper by iontophoresis; penetration with organic and inorganic copper salts and use of detergents in iontophoresis, *96
Perfume: See Cosmetics
Periarteritis nodosa, 292
nodosa; case for diagnosis, 422
nodosa of Kussmaul-Maier, 38
nodosa or vasculitis, 134
Perifolliculitis capitis abscedens et suffodiens; pyoderma; folliculitis of extremities, 212
Periphlebitis, perivasculitis nodularis necrotisans or erythema induratum of unusual type, 133
Perivasculitis: See Periphlebitis
Perm-Aseptic: See Dermatitis venenata
Perspiration: See under Sweat Glands
Phakomatoses: See Sclerosis, tuberous
Phalanges: See Fingers and Toes
Phemeride: See Ammonia and Ammonium Compounds
Phenol: See Ringworm
Phenolphthalein and Phenolphthalein Derivatives, erythema perstans, 39
Phenyl-Beta-Naphthylamine, contact dermatitis of eyelids caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
Phenylmethane, new cutaneous bactericidal agent (G-11) used in soap; further practical studies, *385
Phlebitis; cutaneous and subcutaneous lesions of lower limbs in connection with veins; differential diagnosis, *376
Photosensitization: See Light
Phthirus Pubis: See Pediculosis
Phthisis: See Tuberculosis, pulmonary
Physicians: See Obituaries; etc.
Physics, courses in mycology and radiologic physics, 269
Pigmentation: See also Hair; Melanin; Nevi; Schamberg's Disease; Xeroderma pigmentosum; etc.
hyperpigmentation of abdomen (von Gierke's disease; hyperinsulinism?), 61
staining of skin from quinacrine hydrochloride, 199
Pinta, postsyphilitic dyschromia; late dyschromic pinta (treated), 415
White: See Vitiligo
Pirquet Reaction: See under Tuberculosis
Pityriasis, Lichenoides: See Parapsoriasis
rosea; lupus erythematosus; pityriasis-rosea-like dermatitis following therapy with gold salt, 193
rosea, treatment with Trichophyton extract, 184
rubra pilaris, 128, 137
rubra pilaris or pellagra, 145
rubra pilaris (vitamin A deficiency), 201
Versicolor: See Tinea versicolor
Plants: See Rhus; etc.
Plastics: See Resins
Poison Ivy: See Rhus, poisoning
Poisons and Poisoning: See under names of substances
Poliomyelitis, acute anterior, chickenpox and herpes zoster, 410

Polyarteritis Nodosa: See Periarteritis nodosa
Polycythemia, dermatitis medicamentosa associated with secondary polycythemia; report of case, *389
with unusual eruption, *172
Popper, M.: Xanthelasma papulosum multiplex; case for diagnosis, 51
Poradenitis: See Lymphogranuloma Venereum
Porokeratosis: See Keratosis
Port Wine Mark: See Nevi flammeus
Potassium hydroxide; semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115, 401
Potatoes, dermatitis from dehydration of, *9
Pratt, A. G.: Generalized calcinosis cutis without involvement of muscles or nerves, 189
Urticaria pigmentosa with sensitiveness to temperature, 190
Pregnancy, rubella and congenital malformations, 407
Prepuce: See Penis
Pringle's Disease: See Sebaceous Glands
Pringle-Bourneville's Disease: See Sclerosis, tuberous
Printz, D. R.: Congenital ectodermal defect, 418
Periarteritis nodosa; case for diagnosis, 422
Procaine, dermatitis medicamentosa associated with secondary polycythemia; report of case, *389
Propionate: See Ringworm
Proteins in Blood: See Blood, proteins
Protek: See Dermatitis venenata
Pruritus with Hodgkin's disease, 194
Pseudopelade: See Alopecia cicatrisata
Psoriasis, 427
and lupus erythematosus coexisting in same patient, 53
and synovial cyst, 286
and tuberculosis cutis, 294
contact dermatitis, 47
of nails; case for diagnosis, 205
of palms and soles or keratoderma climacterium, 123
or acrodermatitis continua, 204
pseudopelade (lichen spinulosus) and/or alopecia areata, 208
simulating stasis dermatitis, 65
vesicular lichen planus or herpes, 67
Psychoneuroses: See Neuroses and Psychoneuroses
Psychoses: See Neuroses and Psychoneuroses
Purpura annularis telangiectodes (Majocchi); case for diagnosis, 66
annularis telangiectodes (Majocchi's disease?) treated successfully with gold sodium thiosulfate, 216
of unknown cause, 134
Waterhouse-Friderichsen syndrome; report of case, *391
Pyoderma faciale following dermatitis venenata, 215
gangrenosum associated with nonspecific ulcerative colitis, 416
generalized vaccinia in eczematous child; demonstration of virus and comment on "Kaposi's varicelliform eruption," 405
perifolliculitis capitis abscedens et suffodiens; folliculitis of extremities, 212
Pyrethrum: See Pediculosis; Scabies
Pyrocatechol, relation of chemical structure in catechol compounds and derivatives to poison ivy hypersensitiveness in man as shown by patch test, 35

Quinacrine: See also Acridine Dyes; Leishmaniasis; etc.
hydrochloride, staining of skin from, 199
tropical lichen planus-like disease, *1

Races: See Negroes; etc.
Rachicentesis: See Spinal Puncture
Radiations: See Roentgen Rays; Ultraviolet Rays; etc.
Radiodermatitis: See under Roentgen Rays
Rattner, H.: Course in tropical dermatology, 268
Lupus erythematosus; case for diagnosis, 196
Melanoma; case for diagnosis, 203
Multiple superficial epitheliomatosis, 289
Parapsoriasis, 288
Premycosis fungoides, 287
von Recklinghausen's Disease: See Neurofibromatosis
Recruits: See Military Medicine
Refraction: See Eyes, accommodation and refraction
Rendu-Osler-Weber Syndrome: See Telangiectasia
Resins, dehydration in histologic embedding eliminated by use of water-soluble synthetic plastic, 120
Reticuloendothelial System: See Jaundice; Liver; etc.
Reyes, J. G.: Epidermodysplasia hystricoidis bullosa; report of case with histopathologic study, *328
Rhinophyma and rosacea (nose and ear lobes), 201
Rhinoscleroma or chronic lymphangitis, 57
Rhus, poisoning; relation of chemical structure in catechol compounds and derivatives to poison ivy hypersensitiveness in man as shown by patch test, 35
poisoning; status of poison ivy extracts, 408
Ringworm: See also Favus; Microsporosis; Mycosis, cutaneous; Tinea; Trichophytosis; etc.
adjuvant effect of aerosol on germicidal action of cadmium chloride, 36
cotton hose as vehicle for fungicide in treatment of athlete's foot, 36
of eyebrow, *116
onychomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
phenol-camphor treatment of dermatophytosis, 273
propionate and undecylenate ointments in treatment of tinea pedis and in vitro comparison of their fungistatic and antibacterial effects with other ointments, 406
undecylenic acid in treatment of dermatomycosis, *166
Ritter's Disease: See Dermatitis exfoliativa
Robinson, H. C.: Erythema multiforme; report of case of severe erythema multiforme with involvement of mucous membranes treated with penicillin, *91
Robinson, M. M.: Rosacea-like tuberculid of Lewandowsky or rosacea, 44
Robinson, S. S.: Colloid degeneration of skin (colloid milium); report of case, with observations on ascorbic acid therapy, *180
Dermatitis medicamentosa associated with secondary polycythemia; report of case, *389
Roentgen Rays, Therapy: See under names of organs, regions and diseases, as Epithelioma; Sarcoma; etc.
treatment of post-irradiation necrosis, 410
Roll, H. C.: Pemphigus or dermatitis herpetiformis, 200
Romano, D.: Penicillin in treatment of cutaneous disease, *14
Rony, H. R.: Effect of endocrine substances on adult human scalp, *323
Rosen, I.: Inoculation tuberculosis, 132
Multiple leiomyoma, 218
Rosenbach Disease: See Erysipeloid
Rothman, S.: Acanthosis nigricans, juvenile type, 59
Adenoma sebaceum (Pringle?), 195
Bowen's disease, 289
Cushing's syndrome, 63
Erythema nodosum in eighteenth century; case of child Mozart, 33
Generalized progressive scleroderma with involvement of glottis and esophagus, 196
Leukomelanoderma following arsenical dermatitis (malignant melanoma), 64
Undecylenic acid in treatment of dermatomycosis, *166
Rubber, contact dermatitis of eyelids caused by antioxidant in rubber fillers of eyelash curlers; report of 7 cases, *262
Rubber Industry, skin hazards in manufacture and processing of synthetic rubber, 407

Rubella and congenital malformations, 407
Rubin, S. S.: Impetigo bullosa in tropics, 268
Rulison, R. H.: Chronic recurrent papulopustular dermatitis related to vitamin deficiency, 127
Lupus erythematosus of occupational origin, 209

Sandals: See Shoes
Sarcoidosis, 413, 414
lupus vulgaris or sarcoid (Darier-Roussy), 138
of Boeck; metabolic studies of 3 cases, 405
papular sarcoid of face, 208
sarcoid, 142, 427
sarcoid; late secondary syphilis, 216
sarcoid or late cutaneous syphilid, 414
tuberculous leprosy; late latent syphilis (treated), 413
Sarcoma: See also Cancer; and under names of tumors, as Angiosarcoma; Dermatofibrosarcoma; Lymphosarcoma; etc.
direct current combined with x-ray therapy; case of Kaposi sarcoma thus treated, 187
Kaposi's, or lichen planus hypertrophicus, 39
Scabies, effective 3 hour treatment, 184
idiopathic gangrene of penis complicating scabies, 297
skin diseases with army in India, 122
Scalp, Diseases: See under names of diseases, as Ringworm; Seborrhea; etc.
effect of endocrine substances on adult human scalp, *323
epithelioma, probably arising from sweat glands, 43
Scars: See Cicatrix
Schamberg's Disease, progressive pigmentary dermatosis, 52, 295
Schaumann's Disease: See Sarcoidosis
Scheer, M.: Lymphoblastoma of scrotum, 214
Schildkraut, J. M.: Juvenile xanthomatosis, 191
Schmidt, F. R.: Treatment of dermatoses with vasodilators, *344
Schmidt, O. E. L.: Pemphigus vulgaris or pemphigus erythematosis (Senear-Usher syndrome), 131
Schmitt, C. L.: Clinical investigation of new cutaneous entity, *226
Scholtz, J. R.: Army Air Forces dermatology program, *6
Schorr, H. C.: Congenital ectodermal defect or moniliasis, 194
Dermatitis herpetiformis treated with acetarsone, 292
Hyperpigmentation of abdomen (von Gierke's disease; hyperinsulinism?), 61
Psoriasis simulating stasis dermatitis, 65
Seborrheic dermatitis; case for diagnosis, 64
Schwartz, G.: Pityriasis rubra pilaris, 137
Scleredema: See Scleroderma
Sclerema: See Scleroderma
Sclerodactylia: See Scleroderma
Scleroderma, 44
and acrosclerosis, 56
en coup de sabre, 420
generalized progressive, 122
generalized progressive, with involvement of glottis and esophagus, 196
generalized progressive, with nodules, 210
lichen sclerosus et atrophicus or morphea, 61
morphea; case for diagnosis, 139
vitiligo or lichen sclerosus et atrophicus, 140
Scleroma: See Rhinoscleroma
Scrofula: See Tuberculosis
Scrotum, lymphoblastoma of, 214
Scull, R. H.: Acrodermatitis; case for diagnosis, 288
Lichen sclerosus et atrophicus or morphea, 61
Neurotic excoriations; case for diagnosis, 65
Sebaceous Glands, acne vulgaris occurring in tropics in pigmentary and pilosebaceous nevus, *322
adenoma sebaceum, 282
adenoma sebaceum (Pringle?), 195
adenoma sebaceum (Pringle type forme fruste), 422
effect of endocrine substances on adult human scalp, *323
Seborrhea; seborrheic dermatitis; case for diagnosis, 55, 64, 287
tinea amiantacea, 145
Section on Dermatology and Syphilology, American Medical Association, 429
Senear, F. E.: Cutaneous neuroma, 202
Lichen striatus, 199
Pemphigus or dermatitis herpetiformis, 200
Rosacea and rhinophyma (nose and ear lobes), 201
Senear-Usher Syndrome: See Pemphigus
Septum, Nasal: See under Nose
Serum: See Blood
Shaffer, B.: Fixed bullous eruption due to sulfathiazole, *342
Shaffer, L. W.: Intensive arsenotherapy of early syphilis, *147
Use of Benadryl for urticaria and related dermatoses; preliminary report, *243
Shapiro, A. L.: Acanthosis nigricans, juvenile type, 59
Adenoma sebaceum (Pringle?), 195
Bowen's disease, 289
Colloidoclastic shock following injection of oxophenarsine hydrochloride (mapharsen); report of case, *395
Undecylenic acid in treatment of dermatomycosis, *166
Shepard, M. C.: Semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115; comment, 401
Shipwrecks; salt water ulcers of extremities; occurrence in Japanese survivors, 411
Shock, Anaphylactic: See Anaphylaxis and Allergy
Colloidoclastic: See Anaphylaxis and Allergy
Shoes; sandals and hygiene and infections of feet, *365
Sigel, H.: Mycosis fungoides in Negro, *18
Silverman, M.: Granuloma inguinale, 69
Gumma of palate, 69
Melanoma, 69
Vasomotor dysfunction associated with hypohidrosis, 69
Skin: See also Dermatology
Abnormalities: See also Atrophy; Ectodermal Defect; Pigmentation; etc.
abnormalities; dyskeratoid dermatosis; case for diagnosis, 46
acrodermatitis atrophicans chronica with fibrous cutaneous nodules, 416
and carbohydrate metabolism, *301
Atrophy: See Atrophy
Cancer: See Cancer; Epithelioma; Sarcoma; etc.
colloid degeneration (colloid milium); report of case, with observations on ascorbic acid therapy, *180
cutaneous and subcutaneous lesions of lower limbs in connection with veins; differential diagnosis, *376
cutaneous neuroma, 202
demonstration of effect of nutrition on, 401
dermatologic diseases frequently encountered by otolaryngologists, 410
dermatomyositis; psychoneurosis; dermatitis medicamentosa (pentobarbital sodium); cutis marmorata, 215
Diphtheria: See under Diphtheria
Diseases: See also Dermatitis; and under names of diseases, as Eczema; Herpes; Mycosis; etc.; and under names of plants and drugs, as Penicillin; Rhus; etc.
diseases among the natives of northeast New Guinea, *247
diseases; Army Air Forces dermatology program, *6
diseases; clinical investigation of new cutaneous entity, *226
diseases; dermatologic practice in station hospital in Southern California; comparison with private practice, *21
diseases; dermatology in army station hospital serving in Italy, *335
diseases in South Pacific; observations among military forces, *75
diseases in tropics, 37
diseases; medical experiences in North Africa, 1943-4, 187

Skin—Continued
diseases; necrobiosis lipoidica diabeticorum, 41, 291
diseases; necrobiosis lipoidica without diabetes, 295
diseases; overtreatment dermatitis, 408
diseases; penicillin in treatment of cutaneous disease, *14, 184
diseases; sensitivity of tuberculin patch test (Vollmer-Lederle); results with 318 persons presenting various dermatoses, *249
diseases; skin eruptions due to local application of sulfonamides, 411
diseases; treatment of dermatoses with vasodilators, *344
diseases; use of methenamine in dermatology, 185
diseases with army in India, 122
effect of 3,4-benzpyrene on regenerating epidermis of mice, 35
Gangrene: See Gangrene
Hemorrhage: See Purpura
Inflammation: See Dermatitis
new cutaneous bactericidal agent used in soap; further practical studies, *385
new cutaneous syndrome occurring in New Guinea and adjacent islands; preliminary report, *221
penicillin in civilian practice, 412
Pigmentation: See under Pigmentation
principles of percutaneous absorption, 35
semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115, 401
staining from quinacrine hydrochloride, 199
Syphilis: See Syphilids
transplantation; pigmentation of hair on transplanted skin in hooded rats, *347
Tuberculosis: See Tuberculids; Tuberculosis
Tumors: See under Tumors
Ulcers: See Ulcers
Vincent's disease of, *87

Smallpox, death caused by vaccinia in eczematoid infant, 186
generalized vaccinia in eczematous child; demonstration of virus and comment on "Kaposi's variceliform eruption," 405
laboratory test for diagnosis of, 188

Smith, E. M., Jr.: Seborrheic dermatitis; case for diagnosis, 287

Soaps: See also Detergents
new cutaneous bactericidal agent (G-11) used in soap; further practical studies, *385

Sobisminol: See Syphilis

Societies, dermatologic, directory of, 72, 430
foreign, directory of, 72, 430
international, directory of, 72, 430
local, directory of, 73, 431
national, directory of, 72, 430
sectional, directory of, 72, 430
state, directory of, 72, 430

Society Transactions:
Atlantic Dermatologic Conference, 39
Central States Dermatological Society, 413
Chicago Dermatological Society, 59, 194, 287
Cleveland Dermatological Society, 423
Hawaii Dermatological Society, 66
Los Angeles Dermatological Society, 50, 141, 275
Manhattan Dermatologic Society, 56, 132, 214
Metropolitan Dermatological Society, 192, 425
Minnesota Dermatological Society, 283
New England Dermatological Society, 136
New York Academy of Medicine, Section of Dermatology and Syphilis, 210
New York Dermatological Society, 123, 203
Philadelphia Dermatological Society, 189, 293
San Francisco Dermatological Society, 129

Soybean, effect of feeding lipotropic substance to patients with xanthelasma, *252

Specimens, dehydration in histologic embedding eliminated by use of water-soluble synthetic plastic, 120
improved method for preparing permanent slides of fungus cultures, *267

Spiegel, L.: Lichen planopilaris; lichen planus et acuminatus atrophicans (Feldman) and lichen spinulosus and folliculitis decalvans (Little), 213

Spinal Puncture; lumbar puncture headaches, 407

Spirochaeta Pallida: See Syphilis

Sporotrichosis in New York state; report of 2 new cases and tabulated discussion of 26 previous ones, 406
or blastomycosis, 142

Staphylococci; penicillin in civilian practice, 412

Steatocystoma multiplex, 296

Stevens-Johnson Disease: See Erythema multiforme

Stockings: See Clothing

Stomatitis, herpetic, in infants and children, 37
Vincent's: See Fusospirochetosis

Stout, K.: Multiple neurofibromatosis of peculiar papular form, 283

Strakosch, E. A.: Lichen syphiliticus (extragenital infection) or lichen scrofulosorum, 195

Strauch, J.: Bowen's disease of penis; late latent syphilis (treated), 413
Postsyphilitic dyschromia; late dyschromic pinta (treated), 415
Sarcoidosis, 413
Sarcoidosis; tuberculoid leprosy; late latent syphilis (treated), 413

Strawberry Nevi: See Angioma

Strickler, A.: Polycythemia with unusual eruption, *172
Vincent's disease of skin, *87

Stubenrauch, C. H., Jr.: Cutaneous neuroma, 202
Nevus pigmentosus et pilosus, 202

Sudoriparous Glands: See under Sweat Glands

Sulfadiazine: See Coccidioidomycosis; Sulfonamides

Sulfasuxidine: See Sulfonamides

Sulfathiazole: See Fusospirochetosis; Impetigo contagiosa; Sulfonamides

Sulfonamides, allergy; persistence of desensitization, 412
fixed bullous eruption due to sulfathiazole, *342
role of inositol in alopecia of rats fed sulfasuxidine, 36
skin eruptions due to local application of, 411
Therapy: See Coccidioidomycosis; Fusospirochetosis; Impetigo contagiosa; Skin, diseases; Syphilis; etc.

Sunlight: See Light

Suprarenal Preparations: See Adrenal Preparations

Suprarenals: See Adrenals

Sutton's Disease: See Vitiligo

Swartz, J. H.: Lichen planus, lichenoid purpuric dermatitis (Gougerot and Blum), avitaminosis A or parapsoriasis, 139

Sweat Baths: See Baths, steam

Sweat Glands; adenoma of apocrine sweat glands (hidradenoma) of anal canal, 120
epithelioma, probably arising from sweat glands, 43
syringocystadenoma, 45
tropical anhidrotic asthenia, 37
vasomotor dysfunction associated with hypohidrosis, 69

Sweitzer, S. E.: Erythema nodosum, 283
Lymphosarcoma of nose, 287
Macular atrophy of buttocks, 284
Mycosis fungoides, 286
Nodular syphilid, 284
Parapsoriasis; case for diagnosis, 284
Synovial cyst and psoriasis, 286
Tinea circinata, 285

Sycosis barbae or tuberculosis, 191
penicillin in civilian practice, 412

Synovial Membrane, cyst and psoriasis, 286
synovial pseudocysts; case for diagnosis, 52

Syphilids, late cutaneous, or sarcoid, 414
nodular, 284
pseudocarcinomatous hyperplasia in primary, secondary and tertiary cutaneous syphilis, 186

Syphilis: See also Chancre; Neurosyphilis; Syphilids; and under names of organs, regions and diseases
Bowen's disease of penis; late latent syphilis (treated), 413
chemotherapy of, 406
congenital, acute glomerular nephritis in infant with, 405
congenital: penicillin in treatment of infantile congenital syphilis, 408

Syphilis—Continued
early, acute yellow atrophy of liver in; case report with summary of literature, 120
early, intensive arsenotherapy of, *147
early, intensive treatment; method of Eagle and Hogan, 410
early, intensive treatment with oxophenarsine hydrochloride by multiple injections, *155
early; penicillin in treatment of early syphilis resistant to arsenic and bismuth, 405
extragenital syphilitic infection in Negroes, *114
fever and sterile abscess formation accompanying treatment of syphilis with penicillin, *399
Hereditary: See Syphilis, congenital
infectious granuloma (tuberculous; syphilitic), 210
late; case for diagnosis, 141
lichen syphiliticus (extragenital infection) or lichen scrofulosorum, 195
nodular interstitial glossitis due to, 277
postsyphilitic dyschromia; late dyschromic pinta (treated), 415
recurrent; macular atrophy secondary to syphilis, 212
relation of eye to immunity in experimental syphilis; development of immunity after primary intracorneal inoculation; influence of nonspecific inflammatory, reaction in cornea on development of immunity in that tissue after intratesticular inoculation, 121
review of recent literature, 406
sarcoid; late secondary syphilis, 216
sarcoidosis; tuberculoid leprosy; late latent syphilis (treated), 413
secondary, or parapsoriasis, 213
sobisminol mass in treatment of, 406
spirocheticidal action of penicillin in vitro and its temperature coefficient, 408
syphilitic juxta-articular nodules combined with leukoderma of wrists, palms and feet, 66
tertiary; gumma of palate, 69
transmitted from congenitally syphilitic child to his own father, 272
Syphiloderm: See Syphilids
Syphilology, American Board of Dermatology and Syphilology, 70, 269
eligibility requirements for examination by American Board of Dermatology and Syphilology, Inc., 428
Syringocystadenoma, 45

Tabes Dorsalis: See also Neurosyphilis
dermatofibrosarcoma protuberans with dementia paralytica tabetic type, 202
Targan, N. A.: Ringworm of eyebrow, *116
Tasker, S.: Colloid degeneration of skin (colloid milium); report of case, with observations on ascorbic acid, *180
Dermatitis medicamentosa associated with secondary polycythemia; report of case, *389
Teaching: See Education
Teeth, development; ectodermal dysplasia with partial anodontia, 272
Telangiectasia: See also Angioma; Purpura annularis telangiectodes
diffuse, of trunk and upper extremities; case for diagnosis, 124
Temperature, urticaria pigmentosa with sensitiveness to, 190
Testosterone: See Androgens
Thermotherapy, action of electric blankets, 37
Thiamine: See also Vitamins, B
chickenpox, herpes zoster and acute anterior poliomyelitis, 410
Thorax, match dermatitis on chest and secondary and grease allergy of face, 68
papulonecrotic tuberculid including involvement of face, chest and back, 205
Thrombocytopenia: See Purpura
Thrush: See Moniliasis
Thurmon, F. M.: Dermatitis medicamentosa; case for diagnosis, 139
Morphea; case for diagnosis, 139
Ticks: See Tularemia
Timbó: See Lonchocarpus
Tinea: See also Microsporosis; Ringworm
Amiantacea: See Seborrhea
capitis, 56
cilorum and tinea corporis, 426
circinata, 285
corporis and tinea ciliorum, 426
Decalvans: See Alopecia areata
undecylenic acid in treatment of dermatomycosis, *166
versicolor; pityriasis versicolor in South Pacific, *75
Tissue, penetration of surface tissues with copper by iontophoresis; penetration with organic and inorganic copper salts and use of detergents in iontophoresis, *96
semblance of elastic tissue to mycelium in potassium hydroxide preparations, *115, 401
Tobias, N.: Scrotal tongue and its inheritance, *266
Toe Nails: See Nails
Toes: See Fingers and Toes
Tolmach, J. A.: Localized myxedema, 211
Tongue, nodular interstitial glossitis due to syphilis, 277
scrotal, and its inheritance, *266
tumor; case for diagnosis, 282
Torrey, F. A.: Ichthyosiform erythroderma, 130
Toxicodermas: See Dermatitis, venenata
Traub, E. F.: Keloid following herpes zoster, 203
New cutaneous bactericidal agent used in soap; further practical studies, *385
Possible lupus erythematosus, 128
Trench Foot: See Foot
Treponema Pallidum: See Syphilis
Treponematosis: See Frambesia; Syphilis
Trichophyton purpureum, onychomycosis due to, 124
rubrum; onychomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
treatment of pityriasis rosea with Trichophyton extract, 184
Trichophytosis: See also Mycosis, cutaneous
and generalized moniliasis, 277
barbae, 419
Tropical Medicine: See also under names of tropical diseases, as Leishmaniasis; Ulcers, tropical; etc.
acne vulgaris occurring in tropics in pigmentary and pilosebaceous nevus, *322
clinical investigation of new cutaneous entity, *226
course in tropical dermatology, 70, 268
cutaneous diseases in South Pacific; observations among military forces, *75
dermatologic therapy in tropics, 273
impetigo bullosa in tropics, *28, 268
new cutaneous syndrome occurring in New Guinea and adjacent islands; preliminary report, *221
skin diseases in tropics, 37
tropical anhidrotic asthenia, 37
tropical lichen planus-like disease, *1
Tropics, diseases of skin among natives of northeast New Guinea, *247
Trow, E. J.: Intensive treatment of early syphilis with oxophenarsine hydrochloride by multiple injections, *155
Tryparsamide; neurosyphilis and oculist, 121
Tubercle Bacilli: See also Tuberculosis
effect of tuberculous and sensitized sera and serum fractions on development of tubercles in chorioallantoic membrane of chick, 408
Tuberculids: See also under Tuberculosis
case for diagnosis, 197
papulonecrotic, including involvement of face, chest and back, 205
rosacea-like, of Lewandowsky or rosacea, 44
Tuberculin: See under Tuberculosis
Patch Test: See Tuberculosis
Tuberculosis: See also Tuberculids; and under names of diseases, organs and regions
classification of tuberculosis of skin, *108
colliquativa and lichen scrofulosorum, 189
cutis (?) and psoriasis, 294
effect of tuberculous and sensitized sera and serum fractions on development of tubercles in chorioallantoic membrane of chick, 408

Tuberculosis—Continued
infectious granuloma (tuberculous; syphilitic), 210
inoculation, 132
miliaris disseminata faciei, 59, 203
or sycosis barbae, 191
pulmonary, and parapsoriasis, 45
pulmonary; tuberculosis verrucosa cutis in patient with advanced pulmonary tuberculosis, 136
sensitivity of tuberculin patch test (Vollmer-Lederle); results with 318 persons presenting various dermatoses, *249
verrucosa cutis, 68
verrucosa cutis in patient with advanced pulmonary tuberculosis, 136
Tularemia, infection of ticks (Dermacentor variabilis) with Pasteurella tularensis, 409
Tumors: See Adenoma; Angioma; Cancer; Epithelioma; Lymphoblastoma; Melanoma; Neuroma; Papilloma; Sarcoma; etc.; and under names of organs and regions, as Pancreas; Tongue; etc.
Twining, H. E.: Chronic blepharitis (cause; therapy?), 192
Tuberculosis or sycosis barbae, 191
Twins, identical, von Recklinghausen's disease in, 212
Tyrothricin: See Acrodermatitis perstans

Ulcers: See also under names of organs and regions
arsenical keratoses of palms and soles or trophic ulcer of foot, 126
case of diagnosis, 47
salt water ulcers of extremities; occurrence in Japanese survivors, 411
Tropical: See also Fusospirochetosis; Leishmaniasis
tropical, in South Pacific, *75
Ultraviolet Rays: See also Light
relation of ultraviolet-induced mutations to speciation in dermatophytes, *257
Therapy: See under names of organs, regions and diseases
Undecylenic Acid: See under Ringworm
Urbach, E.: Carbohydrate metabolism and skin, *301
White cross striae of finger nails following cardiac infarction, *106
Urticaria, beta dimethylaminoethyl benzhydryl ether hydrochloride (Benadryl) in treatment, *239
caused by chlorinated drinking water, 272
chronica, recurrent, 424
from perfume, *11
pigmentosa, 132
pigmentosa (acquired type); case for diagnosis, 209
pigmentosa with sensitiveness to temperature, 190
urticarial reaction from penicillin, 291
Urushiol: See Rhus, poisoning
Usher-Senear Syndrome: See Pemphigus
Uterus, chancroid of cervix, 410

Vaccinia: See Smallpox
Van Dyck, L. S.: Alopecia prematura, 426
Lupus erythematosus; pityriasis-rosea-like dermatitis following therapy with gold salt, 193
Varicella: See Chickenpox
Varicose Veins; cutaneous and subcutaneous lesions of lower limbs in connection with veins; differential diagnosis, *376
Variola: See Smallpox
Vasomotor System, treatment of dermatoses with vasodilators, *344
vasomotor dysfunction associated with hypohidrosis, 69
Veins, cutaneous and subcutaneous leisons of lower limbs in connection with veins; differential diagnosis, *376
Venereal Diseases: See Chancre; Chancroid; Neurosyphilis; Syphilis; etc.
Verruca, immunization therapy of warts, 34
plana or lichen planus, 192
Tuberculosis: See Tuberculosis
Vesication, allergic reactions during administration of penicillin, *93
fixed bullous eruption due to sulfathiazole, *342
polycythemia with unusual eruption, *172
psoriasis, vesicular lichen planus or herpes, 67
Vincent's Disease: See Fusospirochetosis
Viruses: See under Herpes; Lymphogranuloma Venereum; etc.
Vision: See Eyes, accommodation and refraction
Vitamins: See also Ascorbic Acid; Nicotinic Acid; Thiamine
A; disturbances of visual adaptation and their clinical significance, 36
A; lichen planus, lichenoid purpuric dermatitis (Gougerot and Blum), avitaminosis A or parapsoriasis, 139
A; pityriasis rubra pilaris (vitamin A deficiency), 201
A; treatment of ichthyosis, *178
B: See also Nicotinic Acid; Pellagra; Thiamine
B complex for vitiligo, 117
B_1: See Thiamine
C: See Ascorbic Acid
chronic recurrent papulopustular dermatitis related to vitamin deficiency, 127
Vitiligo: See also Albinism
postsyphilitic dyschromia; late dyschromic pinta (treated), 415
scleroderma or lichen sclerosis et atrophicus, 140
syphilitic juxta-articular nodules combined with leukoderma of wrists, palms and feet, 66
vitamin B complex for, 117
Vollmer-Lederle Test: See Tuberculosis
Vulva, amebic infection of vulva complicating granuloma pudendi, 273
Esthiomene: See Lymphogranuloma Venereum

Walzer, A.: Generalized progressive scleroderma with nodules, 210
von Recklinghausen's disease in identical twins, 212
War: See Aviation and Aviators; Military Medicine; Naval Medicine; etc.
Waring, W. S.: Onychomycosis and dermatomycosis caused by Trichophyton rubrum and Aspergillus nidulans, *162
Warts: See Verruca
Wassermann Reaction: See Syphilis
Water, urticaria caused by chlorinated drinking water, 272
Waterhouse-Friderichsen Syndrome: See Adrenals, hemorrhage
Weber, L. F.: Nevus pigmentosus et pilosus, 202
Weber-Rendu-Osler's Disease: See Telangiectasia
Weichselbaum, P. K.: Rosacea and rhinophyma (nose and ear lobes), 201
Welding: See Industrial Diseases
Wetting Agents: See Detergents
Wheal: See Urticaria
White Spot Disease: See Scleroderma
Wilhelm, L. F. X.: Lichen planus or lupus erythematosus, 143
Wilson, J. F.: Bromoderma, 191
Lichen scrofulosorum and tuberculosis colliquativa, 189
Mycosis fungoides exhibiting large concentric lesions and treated with testosterone, 298
Wilson, J. W.: Improved method for preparing permanent slides of fungus cultures, *267
Winer, L. H.: Periarteritis nodosa, 292
Winer, M. N.: Epidermolysis bullosa; suggestion as to possible causation, *317
Wise, F.: Angiokeratoma (unilateral nevus), 128
Angioma; case for diagnosis, 209
Angioma or angiosarcoma, 127
Diffuse telangiectasia of trunk and upper extremities; case for diagnosis, 124
Erythema, 209
Papular sarcoid of face, 208
Pemphigus; case for diagnosis, 218
Tuberculosis miliaris disseminata faciei, 203
Wolf, J.: Urticaria pigmentosa, 132
Wolf, M.: Cutaneous and subcutaneous lesions of lower limbs in connection with veins; differential diagnosis, *376
Wolfe, W. D.: Diseases of the skin among natives of northeast New Guinea, *247
Worcester, Noah, one hundredth anniversary of first American textbook of dermatology, 117
Wright, C. S.: Pemphigus vulgaris improved by acetarsone, 298
Porokeratosis, 294
Primary inoculation tuberculosis, 293
Xanthoma or lipid disturbance, 295

Xanthelasma: See Xanthoma

Xanthoma, effect of feeding lipotropic substance to patients with xanthelasma, *252
juvenile xanthomatosis, 191
or lipid disturbance, 295
tuberosum, 45
xanthelasma papulosum multiplex; case for diagnosis, 51

Xanthomatosis: See Xanthoma

Xeroderma pigmentosum; additional notes on 6 cases of Dr. Mayrand and Dr. Gaumond, *176
pigmentosum with precocious malignancy, 421

X-Rays: See Roentgen Rays

Yaws: See Frambesia

Zackheim, H. S.: Use of Benadryl for urticaria and related dermatoses; preliminary report, *243

Zakon, S. J.: Effect of endocrine substances on adult human scalp, *323
Urticaria from perfume, *11

Zinc chromate; contact dermatitis due to pigment in zinc chromate primer, 279
chromate; contact dermatitis due to resinous ingredients of zinc chromate primer and certain lacquers, 279

Zona: See Herpes zoster

Zylcaine; dermatitis medicamentosa associated with secondary polycythemia; report of case, *389

and
on
in
in-
ain
ith
9